



LED T8 Ballast Compatibility Chart

| Ballast Brand* | Part Number       | # Of Lamps | Start Method | 1 Lamp |      | 2 Lamps |      | 3 Lamps |      | 4 Lamps |      |
|----------------|-------------------|------------|--------------|--------|------|---------|------|---------|------|---------|------|
|                |                   |            |              | 120V   | 277V | 120V    | 277V | 120V    | 277V | 120V    | 277V |
| Arcata         | ACT2P32ISUNV      | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Arcata         | ACT4P32ISUNV      | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Advance        | ICN-1P32-N        | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| Advance        | ICN-2P32-N        | 2          | IS           | NC     | NC   | ✓       | ✓    | -       | -    | -       | -    |
| Advance        | ICN-3P32-N        | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| Advance        | ICN-4P32-N        | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Advance        | ICN-2P32-SC       | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Advance        | ICN-4P32-SC       | 4          | IS           | -      | -    | -       | -    | NC      | ✓    | NC      | ✓    |
| Advance        | IOP-2P32-HL-N     | 2          | IS           | NC     | NC   | NC      | NC   | -       | -    | -       | -    |
| Advance        | IOP-4P32-HL-SC    | 4          | IS           | -      | -    | -       | -    | NC      | NC   | NC      | NC   |
| Advance        | IOPA-1P32-N       | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| Advance        | IOPA-2P32-N       | 2          | IS           | NC     | NC   | ✓       | ✓    | -       | -    | -       | -    |
| Advance        | IOPA-3P32-N       | 3          | IS           | -      | -    | NC      | NC   | ✓       | ✓    | -       | -    |
| Advance        | IOPA-4P32-N       | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Advance        | IOPA-1P32-LW-N    | 1          | IS           | NC     | NC   | -       | -    | -       | -    | -       | -    |
| Advance        | IOPA-2P32-LW-N    | 2          | IS           | NC     | NC   | ✓       | ✓    | -       | -    | -       | -    |
| Advance        | IOPA-4P32-LW-N    | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Advance        | REL-2P32-SC       | 2          | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Advance        | REZ-2S32-SC**     | 2          | IS           | -      | -    | ✓       | -    | -       | -    | -       | -    |
| ESPEN          | VE232MVHIPHE      | 2          | IS           | NC     | NC   | NC      | NC   | -       | -    | -       | -    |
| ESPEN          | VE232MVHIPLE      | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| ESPEN          | VE432MVHIP        | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| ESPEN          | VE432MVHIPE       | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Fulham         | NPY-120-232-LT8   | 2          | PS           | NC     | -    | NC      | -    | -       | -    | -       | -    |
| Fulham         | NPY-120-432-T8B   | 4          | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Fulham         | NPY-120-432-T8-IS | 4          | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Fulham         | WHCG3-120-T8-IS   | 3          | IS           | -      | -    | ✓       | -    | ✓       | -    | -       | -    |
| Fulham         | WH2-120-L         | 1          | IS           | ✓      | -    | -       | -    | -       | -    | -       | -    |
| Fulham         | WH5-120-L         | 4          | IS           | -      | -    | -       | -    | NC      | -    | NC      | -    |
| Fusion         | FB232MVE          | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Fusion         | FB232MVE-N        | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Fusion         | FB232MVE-HE       | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Fusion         | FB232MVE-LHE      | 2          | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Fusion         | FB232MVE-PPS-HE   | 2          | PS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Fusion         | FB332MVE          | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| Fusion         | FB432MVE          | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Fusion         | FB432MVE-HE       | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Fusion         | FB432MVE-N        | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Fusion         | FB432MVE-PPS-HE   | 4          | PS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| GE             | GE132MAX-L/ULTRA  | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| GE             | GE132MAXP-L/ULTRA | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| GE             | GE132MAX-N/ULTRA  | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| GE             | GE132MAXP-N/ULTRA | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| GE             | GE132MAXP-H/ULTRA | 1          | IS           | NC     | NC   | -       | -    | -       | -    | -       | -    |
| GE             | GE132MAX-G-N      | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| GE             | GE232MAX-L/ULTRA  | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| GE             | GE232MAXP-L/ULTRA | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| GE             | GE232MAX-N/ULTRA  | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| GE             | GE232MAXP-N/ULTRA | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| GE             | GE232MAXP-H/ULTRA | 2          | IS           | NC     | NC   | NC      | NC   | -       | -    | -       | -    |
| GE             | GE232MAX-G-L      | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| GE             | GE232MAX-G-N      | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| GE             | GE232MAX-G-H      | 2          | IS           | NC     | NC   | NC      | NC   | -       | -    | -       | -    |
| GE             | GE232MV-H         | 2          | IS           | NC     | NC   | NC      | NC   | -       | -    | -       | -    |
| GE             | GE 232-120-PS-N   | 2          | PS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| GE             | GE232-MVPS-L      | 2          | PS           | ✓      | NC   | ✓       | NC   | -       | -    | -       | -    |
| GE             | GE232-MVPS-H      | 2          | PS           | NC     | NC   | NC      | NC   | -       | -    | -       | -    |
| GE             | LEDET8/DR/2L/H    | 2          | IS           | NC     | NC   | ✓       | ✓    | -       | -    | -       | -    |
| GE             | LEDET8/DR/2L/H-G2 | 2          | IS           | ✓      | NC   | ✓       | ✓    | -       | -    | -       | -    |
| GE             | GE232MVPS-N-V03** | 2          | PS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| GE             | GE332MAX-L/ULTRA  | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| GE             | GE332MAXP-L/ULTRA | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| GE             | GE332MAXP-N/ULTRA | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| GE             | GE332MAX-H/ULTRA  | 3          | IS           | -      | -    | NC      | NC   | NC      | NC   | -       | -    |
| GE             | GE332MAXP-H/ULTRA | 3          | IS           | -      | -    | NC      | NC   | NC      | NC   | -       | -    |
| GE             | GE332MAX-G-L      | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| GE             | GE332MAX-G-N      | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| GE             | GE332MAX-G-H      | 3          | IS           | -      | -    | NC      | NC   | NC      | NC   | -       | -    |
| GE             | GE332MV-H         | 3          | IS           | -      | -    | NC      | NC   | NC      | NC   | -       | -    |
| GE             | GE332MAX90-V60**  | 3          | IS           | -      | -    | NC      | NC   | NC      | NC   | -       | -    |
| GE             | GE332MV-N-DIY     | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| GE             | GE332MVPS-N-V03** | 3          | PS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| GE             | GE432MAX-L/ULTRA  | 4          | IS           | -      | -    | -       | -    | NC      | NC   | ✓       | ✓    |
| GE             | GE432MAXP-L/ULTRA | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| GE             | GE432MAX-N/ULTRA  | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| GE             | GE432MAXP-N/ULTRA | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| GE             | GE432MAX-H/ULTRA  | 4          | IS           | -      | -    | -       | -    | NC      | NC   | NC      | NC   |
| GE             | GE432MAXP-H/ULTRA | 4          | IS           | -      | -    | -       | -    | NC      | NC   | NC      | NC   |
| GE             | GE432MAX-G-L      | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| GE             | GE432MAX-G-N      | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| GE             | GE432MAX-G-H      | 4          | IS           | -      | -    | -       | -    | NC      | NC   | NC      | NC   |



LED T8 Ballast Compatibility Chart

| Ballast Brand* | Part Number             | # Of Lamps | Start Method | 1 Lamp |      | 2 Lamps |      | 3 Lamps |      | 4 Lamps |      |
|----------------|-------------------------|------------|--------------|--------|------|---------|------|---------|------|---------|------|
|                |                         |            |              | 120V   | 277V | 120V    | 277V | 120V    | 277V | 120V    | 277V |
| GE             | GE432MV-N               | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| GE             | GE432MV-H               | 4          | IS           | -      | -    | -       | -    | NC      | NC   | NC      | NC   |
| GE             | LEDET8/DR/4L/H          | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| GE             | LEDET8/DR/4L/H-G2       | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| GE             | GE432-120-N             | 4          | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| GE             | GE432MAX-H-42T          | 4          | IS           | -      | -    | -       | -    | NC      | NC   | NC      | NC   |
| GE             | GE432MV-N-DIY           | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| GE             | GE432MVPS-N-V03**       | 4          | PS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Greenhill      | GH4P32ISUNV             | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Halco          | EP332IS/MV/MC           | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| Halco          | EP432IS/L/MV/HE         | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Halco          | EP432IS/MV/MC           | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Howard         | EP4/32IS/MV/MC/HE       | 4          | IS           | -      | -    | -       | -    | ✓       | NC   | ✓       | ✓    |
| Huafeng        | ENI-T8-32-P2SC-N        | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Huafeng        | ENI-T8-32-P4MC-N        | 4          | IS           | -      | -    | -       | -    | NC      | ✓    | NC      | ✓    |
| Keystone       | KTEB-132-UV-IS-L-P      | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| Keystone       | KTEB-132-UV-PS-N-P      | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| Keystone       | KTEB-232-UV-IS-L-P      | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Keystone       | KTEB-232-UV-IS-N-P      | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Keystone       | KTEB-232-UV-IS-H-P      | 2          | IS           | NC     | NC   | NC      | NC   | -       | -    | -       | -    |
| Keystone       | KTEB-232-UV-PS-VDIM**   | 2          | PS           | -      | -    | NC      | ✓    | -       | -    | -       | -    |
| Keystone       | KTEB-232-UV-PS-H-P      | 2          | PS           | NC     | NC   | NC      | NC   | -       | -    | -       | -    |
| Keystone       | KTEB-332-UV-IS-L-P      | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| Keystone       | KTEB-332-UV-IS-N-P      | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| Keystone       | KTEB-332-UV-IS-H-P      | 3          | IS           | -      | -    | NC      | NC   | NC      | NC   | -       | -    |
| Keystone       | KTEB-332-UV-PS-L-P      | 3          | PS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| Keystone       | KTEB-332-UV-PS-N-P      | 3          | PS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| Keystone       | KTEB-332-UV-PS-H-P      | 3          | PS           | -      | -    | NC      | NC   | NC      | NC   | -       | -    |
| Keystone       | KTEB-432-UV-IS-L-P      | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Keystone       | KTEB-432-UV-IS-N-P      | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Keystone       | KTEB-432-UV-IS-H-P      | 4          | IS           | -      | -    | -       | -    | NC      | NC   | NC      | NC   |
| Keystone       | KTEB-432-UV-PS-L-P      | 4          | PS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Keystone       | KTEB-432-UV-PS-N-P      | 4          | PS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Ledvance       | LHE2X32T8UNVISNSCB      | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Ledvance       | LHE3X32T8UNVISNSCB      | 3          | IS           | ✓      | ✓    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| Ledvance       | LHE4X32T8UNVISNSCB      | 4          | IS           | ✓      | ✓    | ✓       | ✓    | ✓       | ✓    | ✓       | ✓    |
| Osram          | QHE 1X32T8/UNV ISN-SC   | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| Osram          | QHE 1X32T8/UNV PSN-TC   | 1          | PS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| Osram          | QTP 1X32T8/UNV ISN-SC   | 1          | IS           | ✓      | ✓    | -       | -    | -       | -    | -       | -    |
| Osram          | QHE 2X32T8/UNV ISL-SC   | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Osram          | QTP 2X32T8/UNV ISL-SC   | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Osram          | QHE 2X32T8/UNV ISN-SC   | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Osram          | QTP 2X32T8/UNV ISN-SC   | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Osram          | QTP 2X32T8/UNV PSN-TC   | 2          | PS           | -      | -    | ✓       | ✓    | -       | -    | -       | -    |
| Osram          | QTP 2x32T8/UNV ISH-SC   | 4          | IS           | -      | -    | NC      | NC   | -       | -    | -       | -    |
| Osram          | QHE 2x32T8/UNV DIM-TC** | 2          | PS           | -      | -    | ✓       | ✓    | -       | -    | -       | -    |
| Osram          | QTP 3x32T8/UNV ISH-SC   | 4          | IS           | -      | -    | -       | -    | NC      | NC   | -       | -    |
| Osram          | QHE 4X32T8/UNV ISL-SC   | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Osram          | QHE 4X32T8/UNV ISN-SC   | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Osram          | QTP 4X32T8/UNV ISN-SC   | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Osram          | QTP 4x32T8/UNV ISN-SC   | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Pacific        | EB-332IS-U              | 3          | IS           | -      | -    | ✓       | ✓    | ✓       | ✓    | -       | -    |
| Pacific        | EB-432IS-U              | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| PQL            | 70201                   | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| PQL            | 70204                   | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Premium        | BB-T8/UVH-2x32          | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Premium        | BB-T8/UVH-3x32          | 3          | IS           | -      | -    | -       | -    | ✓       | ✓    | -       | -    |
| Robertson      | RSW240T12120            | 2          | PS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Standard       | E232PI120L              | 2          | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Standard       | E432T8IS120/H           | 4          | IS           | -      | -    | -       | -    | NC      | -    | NC      | -    |
| Standard       | E432T8IS120/N/AS/BULK   | 4          | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Sunpark        | SL15T                   | 2          | PS           | NC     | -    | ✓       | -    | -       | -    | -       | -    |
| Universal      | B232PUSV3PLA**          | 2          | PS           | NC     | NC   | NC      | NC   | -       | -    | -       | -    |
| Universal      | B232SR120S30**          | 2          | PS           | -      | -    | NC      | -    | -       | -    | -       | -    |
| Universal      | B232IUNVHE-A            | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Universal      | B232IUNVEL-N            | 2          | IS           | -      | -    | -       | -    | -       | -    | -       | -    |
| Universal      | B232IUNVHP-N            | 2          | IS           | -      | -    | -       | -    | -       | -    | -       | -    |
| Universal      | B432IUNVHE-A            | 2          | IS           | -      | -    | -       | -    | -       | -    | -       | -    |
| Universal      | B432IUNVEL-A            | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Universal      | B432IUNVHP-A            | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |

| Ballast Brand* | Part Number     | # Of Lamps | Start Method | 1 Lamp |      | 2 Lamps |      | 3 Lamps |      | 4 Lamps |      |
|----------------|-----------------|------------|--------------|--------|------|---------|------|---------|------|---------|------|
|                |                 |            |              | 347V   | 480V | 347V    | 480V | 347V    | 480V | 347V    | 480V |
| Arcata         | ACT2P32IS347    | 2          | IS           | ✓      | ✓    | ✓       | ✓    | -       | -    | -       | -    |
| Arcata         | ACT4P32IS347    | 4          | IS           | -      | -    | -       | -    | ✓       | ✓    | ✓       | ✓    |
| Advance        | GOPA-2P32-LW-SC | 2          | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Advance        | GOPA-4P32-LW-SC | 4          | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Advance        | GOPA-2P32-SC    | 2          | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Advance        | GOPA-4P32-SC    | 4          | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Fusion         | FB232347E-HE    | 2          | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Fusion         | FB232347E-L     | 2          | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |

|  |                        | LED T8 Ballast Compatibility Chart |              |        |      |         |      |         |      |         |      |
|-----------------------------------------------------------------------------------|------------------------|------------------------------------|--------------|--------|------|---------|------|---------|------|---------|------|
| Ballast Brand*                                                                    | Part Number            | # Of Lamps                         | Start Method | 1 Lamp |      | 2 Lamps |      | 3 Lamps |      | 4 Lamps |      |
|                                                                                   |                        |                                    |              | 120V   | 277V | 120V    | 277V | 120V    | 277V | 120V    | 277V |
| Fusion                                                                            | FB232347E-N            | 2                                  | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Fusion                                                                            | FB232347E-PPS-HE       | 2                                  | PS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Fusion                                                                            | FB432347E-HE           | 4                                  | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Fusion                                                                            | FB432347E-L            | 4                                  | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Fusion                                                                            | FB432347E-N            | 4                                  | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Fusion                                                                            | FB432347E-PPS-HE       | 4                                  | PS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| GE                                                                                | GE232MAX347-H          | 2                                  | IS           | NC     | -    | NC      | -    | -       | -    | -       | -    |
| GE                                                                                | GE232PS347-N           | 2                                  | PS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| GE                                                                                | GE332MAX347-H          | 3                                  | IS           | -      | -    | NC      | -    | NC      | -    | -       | -    |
| GE                                                                                | GE432MAX347-H          | 4                                  | IS           | -      | -    | -       | -    | NC      | -    | NC      | -    |
| GE                                                                                | GE432PS347-N           | 4                                  | PS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Keystone                                                                          | KTEB-232-3-IS-N-P      | 2                                  | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Keystone                                                                          | KTEB-432-3-IS-N-P      | 4                                  | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Osram                                                                             | QHE 2x32 T8/347 ISL-SC | 2                                  | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Osram                                                                             | QHE 2x32 T8/347 ISN-SC | 2                                  | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Standard                                                                          | E232T8IS347/H/90C      | 2                                  | IS           | NC     | -    | NC      | -    | -       | -    | -       | -    |
| Standard                                                                          | E232T8IS347/L/BULK     | 2                                  | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Standard                                                                          | E232T8IS347/N/BULK     | 2                                  | IS           | NC     | -    | ✓       | -    | -       | -    | -       | -    |
| Standard                                                                          | E432PI347G01           | 4                                  | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Standard                                                                          | E432T8IS347/L/BULK     | 4                                  | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Standard                                                                          | E432T8IS347/N          | 4                                  | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Standard                                                                          | E432T8IS347/N/BULK     | 4                                  | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Standard                                                                          | E432T8IS347/H/90C      | 4                                  | IS           | -      | -    | -       | -    | NC      | -    | NC      | -    |
| Universal                                                                         | B232I347HE-A           | 2                                  | IS           | ✓      | -    | ✓       | -    | -       | -    | -       | -    |
| Universal                                                                         | B432I347HE-A           | 4                                  | IS           | -      | -    | -       | -    | ✓       | -    | ✓       | -    |
| Watran                                                                            | DB-332N-MV-TP-HE       | 3                                  | IS           | ✓      | ✓    | ✓       | ✓    | ✓       | ✓    | -       | -    |

Applies to the following Satco products:

S11760, S11761, S11762, S11763, S18410, S18411

| Ballast Factors: |                  |            |
|------------------|------------------|------------|
| NC               | Not compatible   | L - Low    |
| -                | Not applicable   | N - Normal |
| **               | Dimmable Ballast | H - High   |

This list is current as of Dec. 2024. We are continuously testing for compatible ballasts. Please check back for updates.

\* All trademarks are the property of their respective owners

|                                                                                  |                                                                                             |                                                                       |                                                                                           |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| 110 Heartland Blvd.<br>Brentwood, NY 11717<br>PH 631-243-2022<br>FX 631-243-2027 | Distribution Centers<br>New York, Florida,<br>Texas, Washington,<br>California, Puerto Rico | National Toll-Free<br>800-43-SATCO<br>(800-437-2826)<br>www.satco.com | Copyright© 2024<br>Satco Products, Inc.<br>All Rights Reserved.<br>Rev: December 17, 2024 |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------|