SATCO NUVO





ADJUSTABLE BULLET LIGHT HEADS

REAL-TIME MOTION ALERTS
AND VIDEO HISTORY

1296P HD CAMERA WITH NIGHT VISION

REMOTE VIEWING AND
____ TWO-WAY TALK

INTEGRATED SECURITY SIREN

OFFERED IN WHITE, BLACK AND BRONZE FINISHES

SUGGESTED APPLICATIONS

Residential Multifamily

Residential, Multifamily, Hospitality, Commercial

SMART LED SECURITY LIGHT & CAMERA

BULLET HEADS



SATCO|NUVO's Smart Security Flood Lights with Camera offers the latest technology in home security and surveillance. 3000K flood lights provide ample illumination when it's needed most, while casting a warm glow. View live and event history remotely from any mobile device with the STARFISH® app anywhere, any time.



















SMART LED SECURITY LIGHT & CAMERA

BULLET HEADS

GENERAL SPECIFICATIONS

Input Voltage, Frequency: 120V-277V, 60Hz

CCT: 3000K

Dimmable: Down to 10% with STARFISH® app

CRI: 80

Efficacy: 95 LPW

Functional Life: 50,000 Hours

IP Rating: IP65

Location Rating: Wet

Ambient Operating Temperature: -30°C (-22°F) to +50°C (+122°F)

Body Construction: Aluminum Lens Construction: Frosted Glass **Camera Construction: Plastic**

Mounting Options: Wall/Eave Mounts to Standard Surface

or Recessed J-Box

Camera: 1296P, 135° viewing angle

Memory Card: 32GB SD Card included (upgradeable to 128GB)

Warranty: 3 Years










ITEM SPECIFICATIONS/ORDERING INFO

Item	Description	Max Lumens	Wattage	Replacement Wattage	Width (A)	Height (B)	Extension (C)	Weight
65-900R1	White	1900	20W	100W	8.27"	8.46"	9.45"	2.78 Lbs.
65-901R1	Black	1900	20W	100W	8.27"	8.46"	9.45"	2.78 Lbs.
65-902R1	Bronze	1900	20W	100W	8.27"	8.46"	9.45"	2.78 Lbs.











DOWNLOAD THE STARFISH APP



CONNECTDownload the STARFISH® app



INSTALLPair and configure your settings



ENJOYThe convenience and customization of smart lighting & security

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

WARNING: Some products included in this specification sheet may be subject to the warning requirements of California's Proposition 65. Please refer to your product packaging for more information.