

Compatible Lamps for S8000, S8002

S8000	S8002	Description	Operating Voltage 120V	Operating Voltage 277V	Wiring Option	Remark
S11910	S11910	11.5T8/LED/48-830/BP 120-277V	✓	✓	SE or DE	Tested with date codes 2012 & Newer are compatible
S11911	S11911	11.5T8/LED/48-835/BP 120-277V	✓	✓	SE or DE	Tested with date codes 2012 & Newer are compatible
S11912	S11912	11.5T8/LED/48-840/BP 120-277V	✓	✓	SE or DE	Tested with date codes 2012 & Newer are compatible
S11913	S11913	11.5T8/LED/48-850/BP 120-277V	✓	✓	SE or DE	Tested with date codes 2012 & Newer are compatible
S11914	S11914	18.5T8/LED/48-830/BP 120-277V	✓	✓	SE or DE	Tested with Date Code 2012 & Newer are compatible
S11915	S11915	18.5T8/LED/48-835/BP 120-277V	✓	✓	SE or DE	Tested with Date Code 2012 & Newer are compatible
S11916	S11916	18.5T8/LED/48-840/BP 120-277V	✓	✓	SE or DE	Tested with Date Code 2012 & Newer are compatible
S11917	S11917	18.5T8/LED/48-850/BP 120-277V	✓	✓	SE or DE	Tested with Date Code 2012 & Newer are compatible
S11919	S11919	12.5T8/LED/48/840-850-865/BP/2	✓	✓	SE or DE	
S11929	S11929	12.5T8/LED/48/840-850-865/BP	✓	✓	SE or DE	
S11924	S11924	14T8/LED/48-865/BP 120-277V	✓	✓	DE	
S11926	S11926	14T8/LED/48-840/BP/120-277V	✓	✓	DE	
S11927	S11927	24T8/LED/72-840/BP/120-277V	✓	✓	DE	
S11950	S11950	7T8/LED/18-830/BP	✓	✓	SE or DE	
S11951	S11951	7T8/LED/18-840/BP	✓	✓	SE or DE	
S11952	S11952	7T8/LED/18-865/BP	✓	✓	SE or DE	
S11953	S11953	22T8/LED/60-840/BP	✓	✓	SE	
S11954	S11954	22T8/LED/60-850/BP	✓	✓	SE	
S11955	S11955	30T8/LED/70-840/BP	✓	✓	SE	
S11956	S11956	30T8/LED/70-850/BP	✓	✓	SE	
S11960	S11960	10.5T8/LED/48-830/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S11961	S11961	10.5T8/LED/48-835/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S11962	S11962	10.5T8/LED/48-840/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S11963	S11963	10.5T8/LED/48-850/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S11964	S11964	18T8/LED/48-840/BP/R17D/HO	✓	✓	SE	
S11965	S11965	18T8/LED/48-865/BP/R17D/HO	✓	✓	SE	
S11966	S11966	30T8/LED/72-840/BP/R17D/HO	✓	✓	SE	
S11967	S11967	30T8/LED/72-865/BP/R17D/HO	✓	✓	SE	
S11968	S11969	12.5T8/LED/48/830-835-840/B	✓	✓	SE or DE	
S11980	S11980	9T8/LED/24-830/BP/USA	✓	✓		Approved by Factory
S11981	S11981	9T8/LED/24-835/BP/USA	✓	✓		Approved by Factory
S11982	S11982	9T8/LED/24-840/BP/USA	✓	✓		Approved by Factory
S11983	S11983	9T8/LED/24-850/BP/USA	✓	✓		Approved by Factory
S11984	S11984	12T8/LED/36-830/BP/USA	✓	✓		Approved by Factory
S11985	S11985	12T8/LED/36-835/BP/USA	✓	✓		Approved by Factory
S11986	S11986	12T8/LED/36-840/BP/USA	✓	✓		Approved by Factory
S11987	S11987	12T8/LED/36-850/BP/USA	✓	✓		Approved by Factory
S11988	S11988	10.5T8/LED/48-830/BP/USA	✓	✓		Approved by Factory
S11989	S11989	10.5T8/LED/48-835/BP/USA	✓	✓		Approved by Factory
S11990	S11990	10.5T8/LED/48-840/BP/USA	✓	✓		Approved by Factory
S11991	S11991	10.5T8/LED/48-850/BP/USA	✓	✓		Approved by Factory
S11992	S11992	14T8/LED/48-830/BP/USA	✓	✓		Approved by Factory
S11993	S11993	14T8/LED/48-835/BP/USA	✓	✓		Approved by Factory
S11994	S11994	14T8/LED/48-840/BP/USA	✓	✓		Approved by Factory
S11995	S11995	14T8/LED/48-850/BP/USA	✓	✓		Approved by Factory
S11996	S11996	17T8/LED/48-830/BP/USA	✓	✓		Approved by Factory
S11997	S11997	17T8/LED/48-835/BP/USA	✓	✓		Approved by Factory
S11998	S11998	17T8/LED/48-840/BP/USA	✓	✓		Approved by Factory
S11999	S11999	17T8/LED/48-850/BP/USA	✓	✓		Approved by Factory
S16400	S16400	9T8/LED/HO-SIGN/24-840/BP	✓	✓	SE	
S16401	S16401	9T8/LED/HO-SIGN/24-865/BP	✓	✓	SE	
S16402	S16402	12T8/LED/HO-SIGN/36-840/BP	✓	✓	SE	
S16403	S16403	12T8/LED/HO-SIGN/36-865/BP	✓	✓	SE	
S16404	S16404	18T8/LED/HO-SIGN/48-840/BP	✓	✓	SE	
S16405	S16405	18T8/LED/HO-SIGN/48-865/BP	✓	✓	SE	
S16406	S16406	24T8/LED/HO-SIGN/60-840/BP	✓	✓	SE	
S16407	S16407	24T8/LED/HO-SIGN/60-865/BP	✓	✓	SE	
S16408	S16408	30T8/LED/HO-SIGN/72-840/BP	✓	✓	SE	
S16409	S16409	30T8/LED/HO-SIGN/72-865/BP	✓	✓	SE	
S16410	S16410	36T8/LED/HO-SIGN/96-840/BP	✓	✓	SE	
S16411	S16411	36T8/LED/HO-SIGN/96-865/BP	✓	✓	SE	
S16416	S16416	15T8/LED/HO-SIGN/42-840/BP	✓	✓	SE	
S16417	S16417	15T8/LED/HO-SIGN/42-865/BP	✓	✓	SE	
S16418	S16418	26T8/LED/HO-SIGN/64-840/BP	✓	✓	SE	
S16419	S16419	26T8/LED/HO-SIGN/64-865/BP	✓	✓	SE	
S16420	S16420	32T8/LED/HO-SIGN/84-840/BP	✓	✓	SE	
S16421	S16421	32T8/LED/HO-SIGN/84-865/BP	✓	✓	SE	
S16500	S16500	FC8T9/LED/CIR/830/BP	✓	✓		Tested with Date Code 1812 & Newer are compatible
S16501	S16501	FC8T9/LED/CIR/840/BP	✓	✓		Tested with Date Code 1812 & Newer are compatible
S16502	S16502	FC8T9/LED/CIR/865/BP	✓	✓		Tested with Date Code 1812 & Newer are compatible
S16503	S16503	FC12T9/LED/CIR/830/BP	✓	✓		Tested with Date Code 1812 & Newer are compatible
S16504	S16504	FC12T9/LED/CIR/840/BP	✓	✓		Tested with Date Code 1812 & Newer are compatible
S16505	S16505	FC12T9/LED/CIR/865/BP	✓	✓		Tested with Date Code 1812 & Newer are compatible
S28690	S28690	13T5/LED/46-835/BP/HE/SE-DE	✓	✓	SE or DE	Tested with Date Code 2008
S28691	S28691	13T5/LED/46-840/BP/HE/SE-DE	✓	✓	SE or DE	Tested with Date Code 2008
S28692	S28692	13T5/LED/46-850/BP/HE/SE-DE	✓	✓	SE or DE	Tested with Date Code 2008
S28693	S28693	12T5/LED/24-835/BP/HO/SE-DE	✓	✓	SE or DE	Tested with Date Code 2002
S28694	S28694	12T5/LED/24-840/BP/HO/SE-DE	✓	✓	SE or DE	Tested with Date Code 2002
S28695	S28695	12T5/LED/24-850/BP/HO/SE-DE	✓	✓	SE or DE	Tested with Date Code 2002
S28696	S28696	16T5/LED/36-835/BP/HO/SE-DE	✓	✓	SE or DE	Tested with Date Code 2007
S28697	S28697	16T5/LED/36-840/BP/HO/SE-DE	✓	✓	SE or DE	Tested with Date Code 2007
S28698	S28698	16T5/LED/36-850/BP/HO/SE-DE	✓	✓	SE or DE	Tested with Date Code 2007
S29717	S29717	25T5/LED/46-835/BP/HO/120-277V	✓	✓	SE	Compatible with Date code 2005 or Newer.
S29718	S29718	25T5/LED/46-840/BP/HO/120-277V	✓	✓	SE	Compatible with Date code 2005 or Newer.
S29719	S29719	25T5/LED/46-850/BP/HO/120-277V	✓	✓	SE	Compatible with Date code 2005 or Newer.
S29900	S29900	9T8/LED/24-830/BP 120-277V	✓	✓	DE	Approved by Factory

Compatible Lamps for S8000, S8002

S8000	S8002	Description	Operating Voltage 120V	Operating Voltage 277V	Wiring Option	Remark
S29901	S29901	9T8/LED/24-835/BP 120-277V	✓	✓	DE	Approved by Factory
S29902	S29902	9T8/LED/24-840/BP 120-277V	✓	✓	DE	Approved by Factory
S29903	S29903	9T8/LED/24-850/BP 120-277V	✓	✓	DE	Approved by Factory
S29904	S29904	17T8/LED/48-830/BP 120-277V	✓	✓	DE	Approved by Factory
S29904	S29904	17T8/LED/48-830/BP 120-277V	✓	✓	DE	Approved by Factory
S29905	S29905	17T8/LED/48-835/BP 120-277V	✓	✓	DE	Approved by Factory
S29905	S29905	17T8/LED/48-835/BP 120-277V	✓	✓	DE	Approved by Factory
S29906	S29906	17T8/LED/48-840/BP 120-277V	✓	✓	DE	Approved by Factory
S29906	S29906	17T8/LED/48-840/BP 120-277V	✓	✓	DE	Approved by Factory
S29907	S29907	17T8/LED/48-850/BP 120-277V	✓	✓	DE	Approved by Factory
S29907	S29907	17T8/LED/48-850/BP 120-277V	✓	✓	DE	Approved by Factory
S29913	S29913	14T8/LED/48-830/BP 120-277V	✓	✓	DE	Approved by Factory
S29914	S29914	14T8/LED/48-835/BP 120-277V	✓	✓	DE	Approved by Factory
S29915	S29915	14T8/LED/48-840/BP 120-277V	✓	✓	DE	Approved by Factory
S29916	S29916	14T8/LED/48-850/BP 120-277V	✓	✓	DE	Approved by Factory
S29926	S29926	12T8/LED/36-830/BP 120-277V	✓	✓	DE	Approved by Factory
S29927	S29927	12T8/LED/36-835/BP 120-277V	✓	✓	DE	Approved by Factory
S29928	S29928	12T8/LED/36-840/BP 120-277V	✓	✓	DE	Approved by Factory
S29929	S29929	12T8/LED/36-850/BP 120-277V	✓	✓	DE	Approved by Factory
S39717	S39717	25T5/LED/46-835/BP/HO/SE-DE	✓	✓	SE & DE	Tested with Date Code 2005 & Newer are compatible
S39718	S39718	25T5/LED/46-840/BP/HO/SE-DE	✓	✓	SE or DE	Tested with Date Code 2005 & Newer are compatible
S39719	S39719	25T5/LED/46-850/BP/HO/SE-DE	✓	✓	SE & DE	Tested with Date Code 2005 & Newer are compatible
S39900	S39900	9T8/LED/24-830/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39901	S39901	9T8/LED/24-835/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39902	S39902	9T8/LED/24-840/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39903	S39903	9T8/LED/24-850/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39904	S39904	17T8/LED/48-830/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39905	S39905	17T8/LED/48-835/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39906	S39906	17T8/LED/48-840/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39907	S39907	17T8/LED/48-850/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39913	S39913	14T8/LED/48-830/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39914	S39914	14T8/LED/48-835/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39915	S39915	14T8/LED/48-840/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39916	S39916	14T8/LED/48-850/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39926	S39926	12T8/LED/36-830/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39927	S39927	12T8/LED/36-835/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39928	S39928	12T8/LED/36-840/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S39929	S39929	12T8/LED/36-850/BP/SE-DE	✓	✓	SE or DE	Approved by Factory
S8530	S8530	9WPLH/LED/827/BP/2P	✓	✓		Approved by Factory / Tested with S8000
S8531	S8531	9WPLH/LED/830/BP/2P	✓	✓		Approved by Factory
S8532	S8532	9WPLH/LED/835/BP/2P	✓	✓		Approved by Factory
S8533	S8533	9WPLH/LED/840/BP/2P	✓	✓		Approved by Factory
S8534	S8534	9WPLH/LED/850/BP/2P	✓	✓		Approved by Factory
S8535	S8535	9WPLV/LED/827/BP/2P	✓	✓		Approved by Factory
S8536	S8536	9WPLV/LED/830/BP/2P	✓	✓		Approved by Factory
S8537	S8537	9WPLV/LED/835/BP/2P	✓	✓		Approved by Factory
S8538	S8538	9WPLV/LED/840/BP/2P	✓	✓		Approved by Factory
S8745	S8745	8W/H/LED/CFL/827/GU24/120-277V	✓	✓		Tested with Date Code 1812
S8745	S8745	8W/H/LED/CFL/827/GU24/120-277V	✓	✓		Approved by Factory
S8746	S8746	8W/H/LED/CFL/830/GU24/120-277V	✓	✓		Tested with Date Code 1812
S8746	S8746	8W/H/LED/CFL/830/GU24/120-277V	✓	✓		Approved by Factory
S8747	S8747	8W/H/LED/CFL/835/GU24/120-277V	✓	✓		Tested with Date Code 1812
S8747	S8747	8W/H/LED/CFL/835/GU24/120-277V	✓	✓		Approved by Factory
S8748	S8748	8W/H/LED/CFL/840/GU24/120-277V	✓	✓		Tested with Date Code 1812
S8748	S8748	8W/H/LED/CFL/840/GU24/120-277V	✓	✓		Approved by Factory
S8749	S8749	8W/H/LED/CFL/850/GU24/120-277V	✓	✓		Tested with Date Code 1812
S8749	S8749	8W/H/LED/CFL/850/GU24/120-277V	✓	✓		Approved by Factory
S8755	S8755	8W/H/LED/CFL/827/E26/120-277V	✓	✓		Tested with Date Code 1812
S8756	S8756	8W/H/LED/CFL/830/E26/120-277V	✓	✓		Tested with Date Code 1812
S8757	S8757	8W/H/LED/CFL/835/E26/120-277V	✓	✓		Tested with Date Code 1812
S8758	S8758	8W/H/LED/CFL/840/E26/120-277V	✓	✓		Tested with Date Code 1812
S8759	S8759	8W/H/LED/CFL/850/E26/120-277V	✓	✓		Tested with Date Code 1812
S9720	S9720	15T8/LED/48-830/BP	✓	✓	SE	Tested with Date Code 2012
S9721	S9721	15T8/LED/48-835/BP	✓	✓	SE	Tested with Date Code 2012
S9722	S9722	15T8/LED/48-840/BP	✓	✓	SE	Tested with Date Code 2012
S9723	S9723	15T8/LED/48-850/BP	✓	✓	SE	Tested with Date Code 2012
S9930	S9930	15T8U6/LED/22.5-830/BP	✓	✓	SE	Tested with date code 1729JY
S9931	S9931	15T8U6/LED/22.5-835/BP	✓	✓	SE	Tested with date code 1729JY
S9932	S9932	15T8U6/LED/22.5-840/BP	✓	✓	SE	Tested with date code 1729JY
S9933	S9933	15T8U6/LED/22.5-850/BP	✓	✓	SE	Tested with date code 1729JY
S9950	S9950	23PLL/LED/835/BP	✓	✓		Tested with Date Code 5EN2
S9951	S9951	23PLL/LED/840/BP	✓	✓		Tested with Date Code 5EN2
S9952	S9952	15PLL/LED/835/BP	✓	✓		Tested with Date Code 203202
S9953	S9953	15PLL/LED/840/BP	✓	✓		Tested with Date Code 203202
✓ = Compatible						