




|                                                                       |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------|------------------------------------------------|-------------|---------------------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tester:                                                               | Jinglan Zeng                                   |             |                           | Date:                            | 11/Sep/2023                                                                                                                                                                                                                                                                             |
| 1                                                                     | Item number                                    |             |                           | 62/1711/EM,62/1712/EM,62/1713/EM |                                                                                                                                                                                                                                                                                         |
| 2                                                                     | Power source                                   |             |                           | 2pcs IFR18650 2000mAh 3.2V       |                                                                                                                                                                                                                                                                                         |
| 3                                                                     | Input frequency                                |             |                           | NA                               |                                                                                                                                                                                                                                                                                         |
| 4                                                                     | Power supply properties                        |             |                           | Emergency Power Supply           |                                                                                                                                                                                                                                                                                         |
| 5                                                                     | Lux meter                                      |             |                           | EVERFINE Z-10                    |                                                                                                                                                                                                                                                                                         |
| 6                                                                     | Number of samples                              |             |                           | 1pc                              |                                                                                                                                                                                                                                                                                         |
| 7                                                                     | Voltage of full charged batteries without load |             |                           | 7.3V                             |                                                                                                                                                                                                                                                                                         |
|                                                                       |                                                |             |                           | Equipment Model                  | Illuminance Meter                                                                                                                                                                                                                                                                       |
|                                                                       |                                                |             |                           |                                  | EVERFINE Z-10                                                                                                                                                                                                                                                                           |
| Time(min)                                                             | 2700K<br>Lux *200cm, **60cm                    | %<br>of Lux | ***Lux<br>200cm<br>Center |                                  | Remark                                                                                                                                                                                                                                                                                  |
| Battery ON                                                            | 15.1                                           |             |                           |                                  | Charge for 24 H, the green light is on, 100% complete charge, collect the luminance value corresponding to the color temperature at different points in time.<br><br>*Light cone height 200cm<br>**Radius of the base of the light cone 30cm<br>***Center of the base of the light cone |
| 0                                                                     | 15.1                                           | 100.0%      | 63.2                      |                                  |                                                                                                                                                                                                                                                                                         |
| 10                                                                    | 9.1                                            | 60.3%       | 38.6                      |                                  |                                                                                                                                                                                                                                                                                         |
| 20                                                                    | 9.1                                            | 60.3%       | 38.6                      |                                  |                                                                                                                                                                                                                                                                                         |
| 30                                                                    | 9.1                                            | 60.3%       | 38.6                      |                                  |                                                                                                                                                                                                                                                                                         |
| 40                                                                    | 8.7                                            | 57.6%       | 38.2                      |                                  |                                                                                                                                                                                                                                                                                         |
| 50                                                                    | 8.7                                            | 57.6%       | 38.2                      |                                  |                                                                                                                                                                                                                                                                                         |
| 60                                                                    | 8.7                                            | 57.6%       | 38.2                      |                                  |                                                                                                                                                                                                                                                                                         |
| 70                                                                    | 8.7                                            | 57.6%       | 38.2                      |                                  |                                                                                                                                                                                                                                                                                         |
| 80                                                                    | 8.0                                            | 53.0%       | 37.9                      |                                  |                                                                                                                                                                                                                                                                                         |
| 90                                                                    | 8.0                                            | 53.0%       | 37.9                      |                                  |                                                                                                                                                                                                                                                                                         |
| 110                                                                   | 0.0                                            | 0.0%        | 37.9                      |                                  |                                                                                                                                                                                                                                                                                         |
|                                                                       |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
| 110                                                                   | Light off                                      |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
| Tester: Jinglan Zeng Auditor: Jinglan Zeng Approved by: Shunyang Chen |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
| Trend:                                                                |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |




|                      |                                                |                       |                           |                                  |                                                                                                                                                                                                                                                                                         |
|----------------------|------------------------------------------------|-----------------------|---------------------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tester:              | Jinglan Zeng                                   |                       |                           | Date:                            | 11/Sep/2023                                                                                                                                                                                                                                                                             |
| 1                    | Item number                                    |                       |                           | 62/1711/EM,62/1712/EM,62/1713/EM |                                                                                                                                                                                                                                                                                         |
| 2                    | Power source                                   |                       |                           | 2pcs IFR18650 2000mAh 3.2V       |                                                                                                                                                                                                                                                                                         |
| 3                    | Input frequency                                |                       |                           | NA                               |                                                                                                                                                                                                                                                                                         |
| 4                    | Power supply properties                        |                       |                           | Emergency Power Supply           |                                                                                                                                                                                                                                                                                         |
| 5                    | Lux meter                                      |                       |                           | EVERFINE Z-10                    |                                                                                                                                                                                                                                                                                         |
| 6                    | Number of samples                              |                       |                           | 1pc                              |                                                                                                                                                                                                                                                                                         |
| 7                    | Voltage of full charged batteries without load |                       |                           | 7.3V                             |                                                                                                                                                                                                                                                                                         |
|                      |                                                |                       |                           | Equipment Model                  | Illuminance Meter                                                                                                                                                                                                                                                                       |
|                      |                                                |                       |                           |                                  | EVERFINE Z-10                                                                                                                                                                                                                                                                           |
| Time(min)            | 3000K<br>Lux *200cm, **60cm                    | %<br>of Lux           | ***Lux<br>200cm<br>Center |                                  | Remark                                                                                                                                                                                                                                                                                  |
| Battery ON           | 15.2                                           |                       |                           |                                  | Charge for 24 H, the green light is on, 100% complete charge, collect the luminance value corresponding to the color temperature at different points in time.<br><br>*Light cone height 200cm<br>**Radius of the base of the light cone 30cm<br>***Center of the base of the light cone |
| 0                    | 15.2                                           | 100.0%                | 63.6                      |                                  |                                                                                                                                                                                                                                                                                         |
| 10                   | 9.3                                            | 61.2%                 | 39.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 20                   | 9.3                                            | 61.2%                 | 39.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 30                   | 9.3                                            | 61.2%                 | 39.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 40                   | 9.2                                            | 60.5%                 | 38.8                      |                                  |                                                                                                                                                                                                                                                                                         |
| 50                   | 9.2                                            | 60.5%                 | 38.8                      |                                  |                                                                                                                                                                                                                                                                                         |
| 60                   | 9.2                                            | 60.5%                 | 38.8                      |                                  |                                                                                                                                                                                                                                                                                         |
| 70                   | 9.2                                            | 60.5%                 | 38.8                      |                                  |                                                                                                                                                                                                                                                                                         |
| 80                   | 9.0                                            | 59.2%                 | 38.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 90                   | 9.0                                            | 59.2%                 | 38.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 110                  | 0.0                                            | 0.0%                  | 0.0                       |                                  |                                                                                                                                                                                                                                                                                         |
|                      |                                                |                       |                           |                                  |                                                                                                                                                                                                                                                                                         |
| 110                  | Light off                                      |                       |                           |                                  |                                                                                                                                                                                                                                                                                         |
| Tester: Jinglan Zeng |                                                | Auditor: Jinglan Zeng |                           |                                  | Approved by: Shunyang Chen                                                                                                                                                                                                                                                              |
| Trend:               |                                                |                       |                           |                                  |                                                                                                                                                                                                                                                                                         |



|                                                                       |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------|------------------------------------------------|-------------|---------------------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tester:                                                               | Jinglan Zeng                                   |             |                           | Date:                            | 11/Sep/2023                                                                                                                                                                                                                                                                             |
| 1                                                                     | Item number                                    |             |                           | 62/1711/EM,62/1712/EM,62/1713/EM |                                                                                                                                                                                                                                                                                         |
| 2                                                                     | Power source                                   |             |                           | 2pcs IFR18650 2000mAh 3.2V       |                                                                                                                                                                                                                                                                                         |
| 3                                                                     | Input frequency                                |             |                           | NA                               |                                                                                                                                                                                                                                                                                         |
| 4                                                                     | Power supply properties                        |             |                           | Emergency Power Supply           |                                                                                                                                                                                                                                                                                         |
| 5                                                                     | Lux meter                                      |             |                           | EVERFINE Z-10                    |                                                                                                                                                                                                                                                                                         |
| 6                                                                     | Number of samples                              |             |                           | 1pc                              |                                                                                                                                                                                                                                                                                         |
| 7                                                                     | Voltage of full charged batteries without load |             |                           | 7.3V                             |                                                                                                                                                                                                                                                                                         |
|                                                                       |                                                |             |                           | Equipment Model                  | Illuminance Meter                                                                                                                                                                                                                                                                       |
|                                                                       |                                                |             |                           |                                  | EVERFINE Z-10                                                                                                                                                                                                                                                                           |
| Time(min)                                                             | 3500K<br>Lux *200cm, **60cm                    | %<br>of Lux | ***Lux<br>200cm<br>Center |                                  | Remark                                                                                                                                                                                                                                                                                  |
| Battery ON                                                            | 15.8                                           |             |                           |                                  | Charge for 24 H, the green light is on, 100% complete charge, collect the luminance value corresponding to the color temperature at different points in time.<br><br>*Light cone height 200cm<br>**Radius of the base of the light cone 30cm<br>***Center of the base of the light cone |
| 0                                                                     | 15.8                                           | 100.0%      | 66.6                      |                                  |                                                                                                                                                                                                                                                                                         |
| 10                                                                    | 9.3                                            | 58.9%       | 39.2                      |                                  |                                                                                                                                                                                                                                                                                         |
| 20                                                                    | 9.3                                            | 58.9%       | 39.2                      |                                  |                                                                                                                                                                                                                                                                                         |
| 30                                                                    | 9.2                                            | 58.2%       | 39.2                      |                                  |                                                                                                                                                                                                                                                                                         |
| 40                                                                    | 9.2                                            | 58.2%       | 38.9                      |                                  |                                                                                                                                                                                                                                                                                         |
| 50                                                                    | 9.2                                            | 58.2%       | 38.9                      |                                  |                                                                                                                                                                                                                                                                                         |
| 60                                                                    | 9.2                                            | 58.2%       | 38.9                      |                                  |                                                                                                                                                                                                                                                                                         |
| 70                                                                    | 9.0                                            | 57.0%       | 38.8                      |                                  |                                                                                                                                                                                                                                                                                         |
| 80                                                                    | 9.0                                            | 57.0%       | 38.8                      |                                  |                                                                                                                                                                                                                                                                                         |
| 90                                                                    | 9.0                                            | 57.0%       | 38.8                      |                                  |                                                                                                                                                                                                                                                                                         |
| 110                                                                   | 0.0                                            | 0.0%        | 0.0                       |                                  |                                                                                                                                                                                                                                                                                         |
|                                                                       |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
| 110                                                                   | Light off                                      |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
| Tester: Jinglan Zeng Auditor: Jinglan Zeng Approved by: Shunyang Chen |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
| Trend:                                                                |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |



|                                                                       |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------|------------------------------------------------|-------------|---------------------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tester:                                                               | Jinglan Zeng                                   |             |                           | Date:                            | 11/Sep/2023                                                                                                                                                                                                                                                                             |
| 1                                                                     | Item number                                    |             |                           | 62/1711/EM,62/1712/EM,62/1713/EM |                                                                                                                                                                                                                                                                                         |
| 2                                                                     | Power source                                   |             |                           | 2pcs IFR18650 2000mAh 3.2V       |                                                                                                                                                                                                                                                                                         |
| 3                                                                     | Input frequency                                |             |                           | NA                               |                                                                                                                                                                                                                                                                                         |
| 4                                                                     | Power supply properties                        |             |                           | Emergency Power Supply           |                                                                                                                                                                                                                                                                                         |
| 5                                                                     | Lux meter                                      |             |                           | EVERFINE Z-10                    |                                                                                                                                                                                                                                                                                         |
| 6                                                                     | Number of samples                              |             |                           | 1pc                              |                                                                                                                                                                                                                                                                                         |
| 7                                                                     | Voltage of full charged batteries without load |             |                           | 7.3V                             |                                                                                                                                                                                                                                                                                         |
|                                                                       |                                                |             |                           | Equipment Model                  | Illuminance Meter                                                                                                                                                                                                                                                                       |
|                                                                       |                                                |             |                           |                                  | EVERFINE Z-10                                                                                                                                                                                                                                                                           |
| Time(min)                                                             | 4000K<br>Lux *200cm, **60cm                    | %<br>of Lux | ***Lux<br>200cm<br>Center |                                  | Remark                                                                                                                                                                                                                                                                                  |
| Battery ON                                                            | 15.8                                           |             |                           |                                  | Charge for 24 H, the green light is on, 100% complete charge, collect the luminance value corresponding to the color temperature at different points in time.<br><br>*Light cone height 200cm<br>**Radius of the base of the light cone 30cm<br>***Center of the base of the light cone |
| 0                                                                     | 15.8                                           | 100.0%      | 66.9                      |                                  |                                                                                                                                                                                                                                                                                         |
| 10                                                                    | 9.3                                            | 58.9%       | 39.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 20                                                                    | 9.3                                            | 58.9%       | 39.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 30                                                                    | 9.2                                            | 58.2%       | 38.8                      |                                  |                                                                                                                                                                                                                                                                                         |
| 40                                                                    | 9.2                                            | 58.2%       | 38.8                      |                                  |                                                                                                                                                                                                                                                                                         |
| 50                                                                    | 9.2                                            | 58.2%       | 38.8                      |                                  |                                                                                                                                                                                                                                                                                         |
| 60                                                                    | 9.0                                            | 57.0%       | 38.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 70                                                                    | 9.0                                            | 57.0%       | 38.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 80                                                                    | 8.8                                            | 55.7%       | 37.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 90                                                                    | 8.8                                            | 55.7%       | 37.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 110                                                                   | 0.0                                            | 0.0%        | 0.0                       |                                  |                                                                                                                                                                                                                                                                                         |
|                                                                       |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
| 110                                                                   | Light off                                      |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
| Tester: Jinglan Zeng Auditor: Jinglan Zeng Approved by: Shunyang Chen |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |
| Trend:                                                                |                                                |             |                           |                                  |                                                                                                                                                                                                                                                                                         |



|                      |                                                |                       |                           |                                  |                                                                                                                                                                                                                                                                                         |
|----------------------|------------------------------------------------|-----------------------|---------------------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tester:              | Jinglan Zeng                                   |                       |                           | Date:                            | 11/Sep/2023                                                                                                                                                                                                                                                                             |
| 1                    | Item number                                    |                       |                           | 62/1711/EM,62/1712/EM,62/1713/EM |                                                                                                                                                                                                                                                                                         |
| 2                    | Power source                                   |                       |                           | 2pcs IFR18650 2000mAh 3.2V       |                                                                                                                                                                                                                                                                                         |
| 3                    | Input frequency                                |                       |                           | NA                               |                                                                                                                                                                                                                                                                                         |
| 4                    | Power supply properties                        |                       |                           | Emergency Power Supply           |                                                                                                                                                                                                                                                                                         |
| 5                    | Lux meter                                      |                       |                           | EVERFINE Z-10                    |                                                                                                                                                                                                                                                                                         |
| 6                    | Number of samples                              |                       |                           | 1pc                              |                                                                                                                                                                                                                                                                                         |
| 7                    | Voltage of full charged batteries without load |                       |                           | 7.3V                             |                                                                                                                                                                                                                                                                                         |
|                      |                                                |                       |                           | Equipment Model                  | Illuminance Meter                                                                                                                                                                                                                                                                       |
|                      |                                                |                       |                           |                                  | EVERFINE Z-10                                                                                                                                                                                                                                                                           |
| Time(min)            | 5000K<br>Lux *200cm, **60cm                    | %<br>of Lux           | ***Lux<br>200cm<br>Center |                                  | Remark                                                                                                                                                                                                                                                                                  |
| Battery ON           | 16.0                                           |                       |                           |                                  | Charge for 24 H, the green light is on, 100% complete charge, collect the luminance value corresponding to the color temperature at different points in time.<br><br>*Light cone height 200cm<br>**Radius of the base of the light cone 30cm<br>***Center of the base of the light cone |
| 0                    | 16.0                                           | 100.0%                | 67.5                      |                                  |                                                                                                                                                                                                                                                                                         |
| 10                   | 9.4                                            | 58.8%                 | 41.2                      |                                  |                                                                                                                                                                                                                                                                                         |
| 20                   | 9.4                                            | 58.8%                 | 41.2                      |                                  |                                                                                                                                                                                                                                                                                         |
| 30                   | 9.4                                            | 58.8%                 | 25.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 40                   | 9.3                                            | 58.1%                 | 25.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 50                   | 9.3                                            | 58.1%                 | 25.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 60                   | 9.3                                            | 58.1%                 | 13.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 70                   | 9.0                                            | 56.3%                 | 13.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 80                   | 9.0                                            | 56.3%                 | 13.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 90                   | 9.0                                            | 56.3%                 | 13.0                      |                                  |                                                                                                                                                                                                                                                                                         |
| 110                  | 0.0                                            | 0.0%                  | 0.0                       |                                  |                                                                                                                                                                                                                                                                                         |
|                      |                                                |                       |                           |                                  |                                                                                                                                                                                                                                                                                         |
| 110                  | Light off                                      |                       |                           |                                  |                                                                                                                                                                                                                                                                                         |
| Tester: Jinglan Zeng |                                                | Auditor: Jinglan Zeng |                           | Approved by: Shunyang            |                                                                                                                                                                                                                                                                                         |
| Chen                 |                                                |                       |                           |                                  |                                                                                                                                                                                                                                                                                         |
| Trend:               |                                                |                       |                           |                                  |                                                                                                                                                                                                                                                                                         |

