



LED T8 Type A Ballast Compatibility Chart

		# Of			1 Lamp			2 Lamps			3 Lamps			4 Lamps		
Ballast Brand*	Part Number	Lamps	Start Method		120V	277V	347V	120V	277V	347V	120V	277V	347V	120V	277V	347V
Advance	GOPA-4P32-LW-SC	4	IS		-	-	✓	-	-	✓	-	-	✓	-	-	-
Advance	GOPA-3P32-LW-SC	2	IS		-	-	✓	-	-	✓	-	-	✓	-	-	-
Advance	GOPA-4P32-SC	4	IS		-	-	✓	-	-	✓	-	-	✓	-	-	-
Advance	ICN-2P32-N	2	IS		NC	NC	-	✓	✓	-	-	-	-	-	-	-
Advance	ICN-2P32-SC	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
Advance	ICN-2S40-N	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
Advance	ICN-4P32-N REV.D	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
Advance	ICN-4P32-SC	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
Advance	ICN-1P32-N	1	IS		✓	✓	-	-	-	-	-	-	-	-	-	-
Advance	IOPA-1P32-N	1	IS		✓	✓	-	-	-	-	-	-	-	-	-	-
Advance	IOPA-2P32-N	2	IS		NC	NC	-	✓	✓	-	-	-	-	-	-	-
Advance	IOPA-1P32-LW-N	1	IS		NC	NC	-	-	-	-	-	-	-	-	-	-
Advance	IOPA-2P32-LW-N	2	IS		NC	NC	-	✓	✓	-	-	-	-	-	-	-
Advance	IOPA-4P32-LW-N	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
Advance	IOPS-1P32-N	1	IS		✓	✓	-	-	-	-	-	-	-	-	-	-
Advance	IOP-4P32-LW-N	4	IS		✓	✓	-	✓	✓	-	✓	✓	-	✓	✓	-
Advance	RCN-2S32-SC	2	PS		-	-	-	✓	-	-	-	-	-	-	-	-
Advance	REZ-2S32-SC**	2	PS		NC	-	-	✓	-	-	-	-	-	-	-	-
Advance	REL-4P32-RH-TP	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
Advance	RELB-2S40-N	2	RS		✓	-	-	✓	-	-	-	-	-	-	-	-
Advance	REL-2P32-SC	2	IS		✓	-	-	✓	-	-	-	-	-	-	-	-
Arcata	ACT4P32ISUNV	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
ESPEN	VE232MVHIP	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
ESPEN	VE232MVHIPE	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
ESPEN	VE232MVHIPHE	2	IS		NC	NC	-	✓	✓	-	-	-	-	-	-	-
ESPEN	VE232MVHIPL	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
ESPEN	VE432MVHIP	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
ESPEN	VE432MVHIPE	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
ESPEN	VE432MVHIPHE	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
Fulham	NPY-120-232-LT8	2	PS		✓	-	-	✓	-	-	-	-	-	-	-	-
Fulham	NPY-120-432-T8-B	4	IS		-	-	-	-	-	-	✓	-	-	✓	-	-
Fulham	NPY-120-432-T8-S	4	IS		-	-	-	-	-	-	✓	-	-	✓	-	-
Fulham	WHCG3-120-T8-IS	3	IS		-	-	-	✓	-	-	✓	-	-	-	-	-
Fulham	WHCG5-120-T12-RS	2	RS		✓	-	-	✓	-	-	-	-	-	-	-	-
Fulham	WHL-120-L	2	IS		✓	-	-	✓	-	-	-	-	-	-	-	-
Fulham	WH5-120-L	2	IS		-	-	-	NC	-	-	-	-	-	-	-	-
Fusion	FB232MVE	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
Fusion	FB332MVE	3	IS		-	-	-	✓	✓	-	✓	✓	-	-	-	-
Fusion	FB432MVE	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
Fusion	FB232MVE-HE	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
Fusion	FB232MVE-LHE	2	IS		✓	-	-	✓	-	-	-	-	-	-	-	-
Fusion	FB432MVE-HE	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
Fusion	FB232MVE-PPS-HE	2	PS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
Fusion	FB432MVE-PPS-HE	4	PS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
Fusion	FB232347E-HE	2	IS		-	-	✓	-	-	✓	-	-	-	-	-	-
Fusion	FB232347E-L	2	IS		-	-	✓	-	-	✓	-	-	-	-	-	-
Fusion	FB232347E-PPS-HE	2	PS		-	-	✓	-	-	✓	-	-	-	-	-	-
Fusion	FB432347E-HE	4	IS		-	-	-	-	-	-	-	-	✓	-	-	-
Fusion	FB432347E-L	4	IS		-	-	-	-	-	-	-	-	✓	-	-	-
Fusion	FB432347E-PPS-HE	4	PS		-	-	-	-	-	-	-	-	✓	-	-	-
GE	GE432MAXP-H/ULTRA	4	IS		✓	NC	-	✓	✓	-	✓	✓	-	✓	✓	-
GE	GE232MAXP-H	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
GE	GE232MAXP-L	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
GE	GE332MAXP-L	3	IS		✓	✓	-	✓	✓	-	✓	✓	-	-	-	-
GE	GE132MAXP-N	1	IS		✓	✓	-	-	-	-	-	-	-	-	-	-
GE	GE 232-120RES-DIYB	2	IS		✓	-	-	✓	-	-	-	-	-	-	-	-
GE	GE 232-120-PS-N	2	PS		✓	-	-	✓	-	-	-	-	-	-	-	-
GE	GE232MAX-G-N	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
GE	GE232MAX-N	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
GE	GE232-MVPS-L	2	PS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
GE	GE232-MV-N	2	IS		✓	✓	-	✓	✓	-	-	-	-	-	-	-
GE	GE-232-MVPS-H	2	PS		NC	NC	-	✓	✓	-	-	-	-	-	-	-
GE	GE332MAX90-V60**	3	IS		-	-	-	NC	NC	-	✓	✓	-	-	-	-
GE	GE332MV-N-DIY	3	IS		-	-	-	✓	✓	-	✓	✓	-	-	-	-
GE	GE432MAX-H-42T	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
GE	GE-232-MV-PS-L	2	PRO		✓	NC	-	✓	✓	-	-	-	-	-	-	-
GE	GE232MAX347-H	2	IS		-	-	NC	-	-	✓	-	-	-	-	-	-
GE	GE332MAX347-H	3	IS		-	-	-	-	-	NC	-	-	✓	-	-	-
GE	GE332MAX347-H	3	IS		-	-	-	-	-	✓	-	-	✓	-	-	-
GE	GE232PS347-N	2	IS		-	-	✓	-	-	✓	-	-	-	-	-	-
Greenhill	GH2P59ISUNV	2	IS		NC	NC	-	✓	✓	-	-	-	-	-	-	-
Greenhill	GH4P32ISUNV	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
Halco	EP232IS/H/MV/HE	2	IS		NC	NC	-	✓	✓	-	-	-	-	-	-	-
Halco	EP332IS/L/MV/HE	3	IS		-	-	-	✓	✓	-	✓	✓	-	-	-	-
Halco	EP332IS/MV/MC	3	IS		-	-	-	✓	✓	-	✓	✓	-	-	-	-
Halco	EP432IS/L/MV/HE	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-
Halco	EP432IS/MV/MC	4	IS		-	-	-	-	-	-	✓	✓	-	✓	✓	-



LED T8 Type A Ballast Compatibility Chart

Ballast Brand*	Part Number	# Of Lamps	Start Method	1 Lamp			2 Lamps			3 Lamps			4 Lamps		
				120V	277V	347V	120V	277V	347V	120V	277V	347V	120V	277V	347V
Howard	EP4/32IS/MV/MC/HE	4	IS	✓	-	-	✓	-	-	✓	✓	-	✓	✓	-
Howard	EPL3/32IS/MV/SC/HE	3	IS	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-
Huafeng	ENI-T8-32-P2SC-N	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Huafeng	ENI-T8-32-P4MC-N	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Keystone	KTEB-232-UV-IS-N-P	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Keystone	KTEB-332-UV-IS-N-P	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Keystone	KTEB-432-UV-IS-N-P	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Keystone	KTEB-232-UV-PS-VDIM**	2	PS	-	-	-	✓	✓	-	-	-	-	-	-	-
Ledvance	LHE2X32T8UNVISNSCB	2	IS	✓	NC	-	✓	✓	-	-	-	-	-	-	-
Ledvance	LHE3X32T8UNVISNSCB	3	IS	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-
Ledvance	LHE4X32T8UNVISNSCB	4	IS	✓	✓	-	✓	✓	-	✓	✓	-	✓	✓	-
OSRAM	QTP 3X32T8/UNV PSX-SC	3	IS	-	-	-	-	-	-	NC	NC	-	-	-	-
OSRAM	QHE 4X32T8/UNV PSN-SC	4	PS	✓	✓	-	✓	✓	-	✓	✓	-	✓	✓	-
OSRAM	QTP 2X32T8/UNV ISN-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
OSRAM	QHE1X32T8/UNV ISH-HT-SC	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
OSRAM	QHE1X32T8/UNV ISL-SC	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
OSRAM	QHE1X32T8/UNV ISN-SC	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
OSRAM	QHE1x32T8/UNV DIM-TC**	1	DIM	✓	✓	-	-	-	-	-	-	-	-	-	-
OSRAM	QHE1XLEDT8/UNV ISL-SC	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
OSRAM	QHE1XLEDT8/UNV ISN-SC	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
OSRAM	QHE1XLEDT8/UNV ISN-SC-G2	1	IS	✓	✓	-	-	-	-	-	-	-	-	-	-
OSRAM	QHE2XLEDT8/UNV ISL-SC-G2	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
OSRAM	QHE2XLEDT8/UNV ISN-SC-G2	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
OSRAM	QHE2X32T8/UNV ISH-HT-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
OSRAM	QHE2X32T8/UNV ISL-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
OSRAM	QHE2X32T8/UNV ISN-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
OSRAM	QHE2X32T8/UNV PSH-HT	2	PRO	✓	✓	-	✓	✓	-	-	-	-	-	-	-
OSRAM	QHE2x32T8/UNV DIM-TC**	2	DIM	NC	NC	-	✓	✓	-	-	-	-	-	-	-
OSRAM	QHE3XLEDT8/UNV ISL-SC	3	IS	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-
OSRAM	QHE3XLEDT8/UNV ISN-SC	3	IS	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-
OSRAM	QHE3XLEDT8/UNV ISN-SC-G2	3	IS	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-
OSRAM	QHE3X32T8/UNV ISL-SC	3	IS	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-
OSRAM	QHE3X32T8/UNV ISN-SC	3	IS	-	✓	-	✓	✓	-	✓	✓	-	-	-	-
OSRAM	QHE3X32T8/UNV ISN-SC-1	3	IS	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-
OSRAM	QHE3X32T8/UNV PSN-SC	3	PRO	✓	-	-	✓	✓	-	✓	✓	-	-	-	-
OSRAM	QHE4XLEDT8/UNV ISN-SC-G2	4	IS	✓	✓	-	✓	✓	-	✓	✓	-	✓	✓	-
OSRAM	QHE4X32T8/UNV ISL-SC	4	IS	✓	✓	-	✓	✓	-	✓	✓	-	✓	✓	-
OSRAM	QHE4X32T8/UNV ISN-SC	4	IS	✓	✓	-	✓	✓	-	✓	✓	-	✓	✓	-
OSRAM	QHE4X32T8/UNV DIM-TCL**	4	DIM	-	-	-	-	-	-	-	-	-	✓	✓	-
OSRAM	QTP 2X32T8/UNV ISN-SC	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
OSRAM	QHE 4X32T8/347 ISN-SC	4	IS	-	-	NC	-	-	✓	-	-	✓	-	-	-
OSRAM	QHE1X32T8/347 ISN-SC	1	IS	-	-	✓	-	-	-	-	-	-	-	-	-
OSRAM	QHE1X32T8/347 ISL-SC	1	IS	-	-	✓	-	-	-	-	-	-	-	-	-
OSRAM	QHE2X32T8/347 ISL-SC	2	IS	-	-	✓	-	-	✓	-	-	-	-	-	-
OSRAM	QHE2X32T8/347 ISN-SC	2	IS	-	-	✓	-	-	✓	-	-	-	-	-	-
OSRAM	QHE3X32T8/347 ISN-SC	3	IS	-	-	✓	-	-	✓	-	-	✓	-	-	-
Pacific	EB-332IS-U	3	IS	-	-	-	✓	✓	-	✓	✓	-	-	-	-
Pacific	EB-432IS-U	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
PLUSRITE	BAF232IS/MV/H	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
POWER MASTER	2X32T8-UNV-IS-L	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Premium	BB-T8/UVH-2x32	2	IS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Premium	BB-T8/UVH-3x32	3	IS	-	-	-	-	-	-	✓	✓	-	-	-	-
Robertson	RSW240T12120	2	PS	NC	-	-	NC	-	-	-	-	-	-	-	-
Standard	E232PI120L	2	IS	✓	-	-	✓	-	-	-	-	-	-	-	-
Standard	E232T8IS120/N/AS	2	IS	✓	-	-	✓	-	-	-	-	-	-	-	-
Standard	E432T8IS120/H	4	IS	-	-	-	-	-	-	NC	-	-	✓	-	-
Standard	E432T8IS120/L/AS/BULK	4	IS	-	-	-	-	-	-	✓	-	-	✓	-	-
Standard	E432T8IS120/N/AS/BULK	4	IS	-	-	-	-	-	-	✓	-	-	✓	-	-
Standard	61131 E232T8IS120-277/L/AS	2	IS	✓	NC	-	✓	✓	-	-	-	-	-	-	-
Standard	63627 E232T8PS120-277/N/AS	2	PS	✓	✓	-	✓	✓	-	-	-	-	-	-	-
Standard	61062 E232T8PS120-277/L/AS/BL	2	PS	NC	NC	-	✓	✓	-	-	-	-	-	-	-
Standard	61128 E232T8IS120-277/N/AS	2	IS	✓	NC	-	✓	✓	-	-	-	-	-	-	-
Standard	61123 E232T8IS120/L/AS	2	IS	✓	-	-	✓	-	-	-	-	-	-	-	-
Standard	60075 E232T8IS120/H/90C	2	IS	✓	-	-	NC	-	-	-	-	-	-	-	-
Standard	60080 E332T8IS120/L/90C/BULK	3	IS	-	-	-	✓	-	-	✓	-	-	-	-	-
Standard	61122 E332T8IS120/N/AS	3	IS	-	-	-	✓	-	-	✓	-	-	-	-	-
Standard	61065 E432T8PS120-277/L/AS/BL	4	PS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Standard	61129 E432T8IS120-277/N/AS	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Standard	61063 E432T8PS120-277/N/AS/BI	4	PS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Standard	61134 E432T8IS120-277/L/AS	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Standard	E232T8IS347/N	2	IS	-	-	✓	-	-	✓	-	-	-	-	-	-
Standard	GE432PS347-N	4	PS	-	-	✓	-	-	✓	-	-	✓	-	-	-
Standard	E232T8IS347/H/90C	2	IS	-	-	NC	-	-	NC	-	-	-	-	-	-
Standard	E232T8IS347/L/BULK	2	IS	-	-	✓	-	-	✓	-	-	-	-	-	-
Standard	E232T8IS347/N/BULK	2	IS	-	-	✓	-	-	✓	-	-	-	-	-	-
Standard	E432PI347G01	4	IS	-	-	-	-	-	-	-	-	✓	-	-	-
Standard	E432T8IS347/L/BULK	4	IS	-	-	-	-	-	-	-	-	✓	-	-	-
Standard	E432T8IS347/N	4	IS	-	-	-	-	-	-	-	-	✓	-	-	-

		LED T8 Type A Ballast Compatibility Chart													
Ballast Brand*	Part Number	# Of Lamps	Start Method	1 Lamp			2 Lamps			3 Lamps			4 Lamps		
				120V	277V	347V	120V	277V	347V	120V	277V	347V	120V	277V	347V
Standard	E432T8IS347/N/BULK	4	IS	-	-	-	-	-	-	-	-	✓	-	-	-
Standard	E432T8IS347/H/90C	4	IS	-	-	-	-	-	-	-	-	NC	-	-	-
Standard	66150 E232T8IS/MIC/347/N/AS	2	IS	-	-	✓	-	-	✓	-	-	-	-	-	-
Standard	59741 E232T8PS347/H/XTRM	2	PS	-	-	✓	-	-	✓	-	-	-	-	-	-
Standard	62992 E232T8PS347/N/AS/BULK	2	PS	-	-	✓	-	-	✓	-	-	-	-	-	-
Standard	66152 E232T8IS/MIC/347/L/AS/BI	2	IS	-	-	✓	-	-	✓	-	-	-	-	-	-
Standard	60079 E332T8IS347/L/90C/BULK	3	IS	-	-	-	-	-	✓	-	-	✓	-	-	-
Standard	61064 E432T8PS347/N/AS/BULK	4	PS	-	-	-	-	-	-	-	-	✓	-	-	-
Standard	61066 E432T8PS347/L/AS/BULK	4	PS	-	-	-	-	-	-	-	-	✓	-	-	-
Sunpark	SL15T	2	PS	✓	-	-	✓	-	-	-	-	-	-	-	-
SYMBAN	SLFE-432T8-347V	4	IS	-	-	-	-	-	-	-	-	✓	-	-	-
TCP	E4P32PSVNVE	4	IS	✓	✓	-	✓	✓	-	✓	✓	-	✓	✓	-
Ultrasave	MR232347	2	IS	-	-	NC	-	-	✓	-	-	-	-	-	-
Universal	B232SR120S30**	2	PS	-	-	-	✓	-	-	-	-	-	-	-	-
Universal	B232IUNVHP-N	2	IS	-	-	-	✓	✓	-	-	-	-	-	-	-
Universal	B432IUNVHP-A	4	IS	-	-	-	-	-	-	✓	✓	-	✓	✓	-
Universal	B332IUNVHIP-A	3	IS	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-
Universal	B232I347HE-A	2	IS	-	-	✓	-	-	✓	-	-	-	-	-	-
Universal	B432I347HE-A	4	IS	-	-	-	-	-	-	-	-	✓	-	-	-
Watran	DB-332N-MV-TP-HE LPT80213	3	IS	✓	✓	-	✓	✓	-	✓	✓	-	-	-	-
Applies to the following Satco products:				S21915, S21916, S21917, S21918, S21919				** P Dimmable ballast T PF <0.85 THD >30% NC Not compatible NA Not applicable				Ballast Factors: L - Low N - Normal H - High			
This list is current as of Nov. 2024. We are continuously testing for compatible ballasts. Please check back for updates.															
* All trademarks are the property of their respective owners															
110 Heartland Blvd. Brentwood, NY 11717 PH 631-243-2022 FX 631-243-2027				Distribution Centers New York, Florida, Texas, Washington, California, Puerto Rico				National Toll-Free 800-43-SATCO (800-437-2826) www.satco.com				Copyright© 2024 Satco Products, Inc. All Rights Reserved. Rev: November 22, 2024			