

Master Compatibility list of Lamps/Down Lights for S8000, S8002

S8000	S8002	Description	Operating Voltage 120V	Operating Voltage 277V
S11550	S11550	5.5W/LED/CFL/827/2P/DUAL	✓	✓
S11551	S11551	5.5W/LED/CFL/830/2P/DUAL	✓	✓
S11552	S11552	5.5W/LED/CFL/835/2P/DUAL	✓	✓
S11553	S11553	5.5W/LED/CFL/840/2P/DUAL	✓	✓
S11554	S11554	5.5W/LED/CFL/850/2P/DUAL	✓	✓
S11600	S11600	10WLED/DW/EL/4/930/RND/RD	✓	NA
S11601	S11601	10WLED/DW/EL/4/940/RND/RD	✓	NA
S11602	S11602	10WLED/DW/EL/4/950/RND/RD	✓	NA
S11603	S11603	12WLED/DW/EL/6/930/RND/RD	✓	NA
S11604	S11604	12WLED/DW/EL/6/940/RND/RD	✓	NA
S11605	S11605	12WLED/DW/EL/6/950/RND/RD	✓	NA
S11609	S11609	10WLED/DW/EL/4/930/SQ/RD	✓	NA
S11610	S11610	10WLED/DW/EL/4/940/SQ/RD	✓	NA
S11611	S11611	10WLED/DW/EL/4/950/SQ/RD	✓	NA
S11612	S11612	12WLED/DW/EL/6/930/SQ/RD	✓	NA
S11613	S11613	12WLED/DW/EL/6/940/SQ/RD	✓	NA
S11614	S11614	12WLED/DW/EL/6/950/SQ/RD	✓	NA
S11618	S11618	12WLED/DW/GBL/4/930/RND/RD/WH	✓	NA
S11619	S11619	12WLED/DW/GBL/4/930/RND/RD/BK	✓	NA
S11620	S11620	12WLED/DW/GBL/4/930/RND/RD/BN	✓	NA
S11621	S11621	12WLED/DW/GBL/4/930/SQ/RD/WH	✓	NA
S11622	S11622	12WLED/DW/GBL/4/930/SQ/RD/BK	✓	NA
S11623	S11623	12WLED/DW/GBL/4/930/SQ/RD/BN	✓	NA
S11624	S11624	12WLED/DW/GBL/3/930/RND/RD/WH	✓	NA
S11625	S11625	12WLED/DW/GBL/3/930/RND/RD/BK	✓	NA
S11626	S11626	12WLED/DW/GBL/3/930/RND/RD/BN	✓	NA
S11627	S11627	12WLED/DW/GBL/3/930/SQ/RD/WH	✓	NA
S11628	S11628	12WLED/DW/GBL/3/930/SQ/RD/BK	✓	NA
S11629	S11629	12WLED/DW/GBL/3/930/SQ/RD/BN	✓	NA
S11630	S11630	12WLED/DW/DNL3/930/RND/RD/WH	✓	NA
S11631	S11631	12WLED/DW/DNL3/930/RND/RD/BK	✓	NA
S11632	S11632	12WLED/DW/DNL3/930/RND/RD/BN	✓	NA
S11633	S11633	12WLED/DW/DNL3/930/SQ/RD/WH	✓	NA
S11634	S11634	12WLED/DW/DNL3/930/SQ/RD/BK	✓	NA
S11635	S11635	12WLED/DW/DNL3/930/SQ/RD/BN	✓	NA
S11618R1	S11618R1	12W/DW/GBL/4/CCT/RND/RD/WH	✓	NA
S11819R1	S11819R1	12W/DW/GBL/4/CCT/RND/RD/BK	✓	NA
S11620R1	S11620R1	12W/DW/GBL/4/CCT/RND/RD/BN	✓	NA
S11621R1	S11621R1	12W/DW/GBL/4/CCT/SQ/RD/WH	✓	NA
S11622R1	S11622R1	12W/DW/GBL/4/CCT/SQ/RD/BK	✓	NA
S11623R1	S11623R1	12W/DW/GBL/4/CCT/SQ/RD/BN	✓	NA

Master Compatibility list of Lamps/Down Lights for S8000, S8002

S8000	S8002	Description	Operating Voltage 120V	Operating Voltage 277V
S11624R1	S11624R1	12W/DW/GBL/3.5/CCT/RND/RD/WH	✓	NA
S11625R1	S11625R1	12W/DW/GBL/3.5/CCT/RND/RD/BK	✓	NA
S11626R1	S11626R1	12W/DW/GBL/3.5/CCT/RND/RD/BN	✓	NA
S11627R1	S11627R1	12W/DW/GBL/3.5/CCT/SQ/RD/WH	✓	NA
S11628R1	S11628R1	12W/DW/GBL/3.5/CCT/SQ/RD/BK	✓	NA
S11629R1	S11629R1	12W/DW/GBL/3.5/CCT/SQ/RD/BN	✓	NA
S11650	S11650	9T5/LED/24-CCT /BP/HE/SE-DE	✓	✓
S11651	S11651	12T5/LED/36-CCT/BP/HE/SE-DE	✓	✓
S11652	S11652	13T5/LED/48-CCT/BP/HE/SE-DE	✓	✓
S11653	S11653	12T5/LED/24-CCT/BP/HO/SE-DE	✓	✓
S11654	S11654	16T5/LED/36-CCT/BP/HO/SE-DE	✓	✓
S11655	S11655	25T5/LED/48-CCT/BP/HO/SE-DE	✓	✓
S11656	S11656	25T5/LED/48-CCT/BP/HO/DE	✓	✓
S11760	S11760	10T8/LED/24-CCT/DM/BP-DR	✓	✓
S11761	S11761	12T8/LED/36-CCT/DM/BP-DR	✓	✓
S11762	S11762	13T8/LED/48-CCT/DM/BP-DR	✓	✓
S11763	S11763	15T8/LED/48-CCT/DM/BP-DR	✓	✓
S11764	S11764	9T8/LED/24-5CCT/BP/SE-DE	✓	✓
S11765	S11765	12T8/LED/36-5CCT/BP/SE-DE	✓	✓
S11766	S11766	12T8/LED/36-5CCT/BP/SE-DE	✓	✓
S11767	S11767	17T8/LED/48-5CCT/BP/SE-DE	✓	✓
S11872	S11872	15WLED/DW/6/CCT-SEL/RND/RD/WH	✓	✓
S11873	S11873	15WLED/DW/6/CCT-SEL/SQ/RD/WH	✓	✓
S11870	S11870	12WLED/DW/4/CCT-SEL/RND/RD/WH	✓	✓
S11871	S11871	12WLED/DW/4/CCT-SEL/SQ/RD/WH	✓	✓
S11864	S11864	10WLED/4/FR/CCT/SLF/RD/FL/RND	✓	✓
S11865	S11865	10WLED/4/FR/CCT/SLF/RD/STB/RND	✓	✓
S11866	S11866	13WLED/6/FR/CCT/SLF/RD/FL/RND	✓	✓
S11867	S11867	13WLED/6/FR/CCT/SLF/RD/STB/RND	✓	✓
S11868	S11868	10WLED/4/CFR/CCT/SLF/RD/FL/RND	✓	✓
S11869	S11869	13WLED/6/CFR/CCT/SLF/RD/FL/RND	✓	✓
S11826	S11826	10WLED/DW/EL/4/CCT-SEL/RND/RD	✓	✓
S11827	S11827	12WLED/DW/EL/6/CCT-SEL/RND/RD	✓	✓
S11829	S11829	10WLED/DW/EL/4/CCT-SEL/SQ/RD	✓	✓
S11830	S11830	12WLED/DW/EL/6/CCT-SEL/SQ/RD	✓	✓
S11840	S11840	9WLED/GBL/4/CCT/RND/WH	✓	✓
S11841	S11841	9WLED/GBL/4/CCT/SQ/WH	✓	✓
S11842	S11842	9WLED/GBL/4/CCT/RND/BLK	✓	✓
S11843	S11843	9WLED/GBL/4/CCT/SQ/BLK	✓	✓
S11860	S11860	15WLED/GBL/6/CCT/RND/WH	✓	✓
S11861	S11861	15WLED/GBL/6/CCT/SQ/WH	✓	✓

Master Compatibility list of Lamps/Down Lights for S8000, S8002

S8000	S8002	Description	Operating Voltage 120V	Operating Voltage 277V
S11862	S11862	15WLED/GBL/6/CCT/RND/BLK	✓	✓
S11863	S11863	15WLED/GBL/6/CCT/SQ/BLK	✓	✓
S11876	S11876	10WLED/DW/4/CCT-SEL/SQ/RD/BK	✓	✓
S11877	S11877	12WLED/DW/6/CCT-SEL/SQ/RD/BK	✓	✓
S11874	S11874	10WLED/DW/4/CCT-SEL/RND/RD/BK	✓	✓
S11875	S11875	12WLED/DW/6/CCT-SEL/RND/RD/BK	✓	✓
S11878	S11878	11WLED/4/CCT/LP/RD/DIR/FL	✓	✓
S11879	S11879	14WLED/6/CCT/LP/RD/DIR/FL	✓	✓
S11910	S11910	11.5T8/LED/48-830/BP 120-277V	✓	✓
S11911	S11911	11.5T8/LED/48-835/BP 120-277V	✓	✓
S11912	S11912	11.5T8/LED/48-840/BP 120-277V	✓	✓
S11913	S11913	11.5T8/LED/48-850/BP 120-277V	✓	✓
S11914	S11914	18.5T8/LED/48-830/BP 120-277V	✓	✓
S11915	S11915	18.5T8/LED/48-835/BP 120-277V	✓	✓
S11916	S11916	18.5T8/LED/48-840/BP 120-277V	✓	✓
S11917	S11917	18.5T8/LED/48-850/BP 120-277V	✓	✓
S11919	S11919	12.5T8/LED/48/840-850-865/BP/2	✓	✓
NA	S11920	13.5T8/LED/48-830/DIM-BP, 120V	✓	NA
NA	S11921	13.5T8/LED/48-835/DIM-BP, 120V	✓	NA
NA	S11922	13.5T8/LED/48-840/DIM-BP, 120V	✓	NA
NA	S11923	13.5T8/LED/48-850/DIM-BP	✓	NA
S11929	S11929	12.5T8/LED/48/840-850-865/BP	✓	✓
S11924	S11924	14T8/LED/48-865/BP 120-277V	✓	✓
S11926	S11926	14T8/LED/48-840/BP/120-277V	✓	✓
S11927	S11927	24T8/LED/72-840/BP/120-277V	✓	✓
S11950	S11950	7T8/LED/18-830/BP	✓	✓
S11951	S11951	7T8/LED/18-840/BP	✓	✓
S11952	S11952	7T8/LED/18-865/BP	✓	✓
S11953	S11953	22T8/LED/60-840/BP	✓	✓
S11954	S11954	22T8/LED/60-850/BP	✓	✓
S11955	S11955	30T8/LED/70-840/BP	✓	✓
S11956	S11956	30T8/LED/70-850/BP	✓	✓
S11960	S11960	10.5T8/LED/48-830/BP/SE-DE	✓	✓
S11961	S11961	10.5T8/LED/48-835/BP/SE-DE	✓	✓
S11962	S11962	10.5T8/LED/48-840/BP/SE-DE	✓	✓
S11963	S11963	10.5T8/LED/48-850/BP/SE-DE	✓	✓
S11964	S11964	18T8/LED/48-840/BP/R17D/HO	✓	✓
S11965	S11965	18T8/LED/48-865/BP/R17D/HO	✓	✓
S11966	S11966	30T8/LED/72-840/BP/R17D/HO	✓	✓
S11967	S11967	30T8/LED/72-865/BP/R17D/HO	✓	✓
S11968	S11969	12.5T8/LED/48/830-835-840/B	✓	✓

Master Compatibility list of Lamps/Down Lights for S8000, S8002

S8000	S8002	Description	Operating Voltage 120V	Operating Voltage 277V
S11970	S11970	13T8U6/LED/22.5-830/DUAL	✓	✓
S11971	S11971	13T8U6/LED/22.5-835/DUAL	✓	✓
S11972	S11972	13T8U6/LED/22.5-840/DUAL	✓	✓
S11973	S11973	13T8U6/LED/22.5-850/DUAL	✓	✓
S11974	S11974	12T8/LED/48-830/DM/A-B	✓	✓
S11975	S11975	12T8/LED/48-835/DM/A-B	✓	✓
S11976	S11976	12T8/LED/48-840/DM/A-B	✓	✓
S11977	S11977	12T8/LED/48-850/DM/A-B	✓	✓
S11980	S11980	9T8/LED/24-830/BP/USA	✓	✓
S11981	S11981	9T8/LED/24-835/BP/USA	✓	✓
S11982	S11982	9T8/LED/24-840/BP/USA	✓	✓
S11983	S11983	9T8/LED/24-850/BP/USA	✓	✓
S11984	S11984	12T8/LED/36-830/BP/USA	✓	✓
S11985	S11985	12T8/LED/36-835/BP/USA	✓	✓
S11986	S11986	12T8/LED/36-840/BP/USA	✓	✓
S11987	S11987	12T8/LED/36-850/BP/USA	✓	✓
S11988	S11988	10.5T8/LED/48-830/BP/USA	✓	✓
S11989	S11989	10.5T8/LED/48-835/BP/USA	✓	✓
S11990	S11990	10.5T8/LED/48-840/BP/USA	✓	✓
S11991	S11991	10.5T8/LED/48-850/BP/USA	✓	✓
S11992	S11992	14T8/LED/48-830/BP/USA	✓	✓
S11993	S11993	14T8/LED/48-835/BP/USA	✓	✓
S11994	S11994	14T8/LED/48-840/BP/USA	✓	✓
S11995	S11995	14T8/LED/48-850/BP/USA	✓	✓
S11996	S11996	17T8/LED/48-830/BP/USA	✓	✓
S11997	S11997	17T8/LED/48-835/BP/USA	✓	✓
S11998	S11998	17T8/LED/48-840/BP/USA	✓	✓
S11999	S11999	17T8/LED/48-850/BP/USA	✓	✓
S16400	S16400	9T8/LED/HO-SIGN/24-840/BP	✓	✓
S16401	S16401	9T8/LED/HO-SIGN/24-865/BP	✓	✓
S16402	S16402	12T8/LED/HO-SIGN/36-840/BP	✓	✓
S16403	S16403	12T8/LED/HO-SIGN/36-865/BP	✓	✓
S16404	S16404	18T8/LED/HO-SIGN/48-840/BP	✓	✓
S16405	S16405	18T8/LED/HO-SIGN/48-865/BP	✓	✓
S16406	S16406	24T8/LED/HO-SIGN/60-840/BP	✓	✓
S16407	S16407	24T8/LED/HO-SIGN/60-865/BP	✓	✓
S16408	S16408	30T8/LED/HO-SIGN/72-840/BP	✓	✓
S16409	S16409	30T8/LED/HO-SIGN/72-865/BP	✓	✓
S16410	S16410	36T8/LED/HO-SIGN/96-840/BP	✓	✓
S16411	S16411	36T8/LED/HO-SIGN/96-865/BP	✓	✓
S16416	S16416	15T8/LED/HO-SIGN/42-840/BP	✓	✓

Master Compatibility list of Lamps/Down Lights for S8000, S8002

S8000	S8002	Description	Operating Voltage 120V	Operating Voltage 277V
S16417	S16417	15T8/LED/HO-SIGN/42-865/BP	✓	✓
S16418	S16418	26T8/LED/HO-SIGN/64-840/BP	✓	✓
S16419	S16419	26T8/LED/HO-SIGN/64-865/BP	✓	✓
S16420	S16420	32T8/LED/HO-SIGN/84-840/BP	✓	✓
S16421	S16421	32T8/LED/HO-SIGN/84-865/BP	✓	✓
S16500	S16500	FC8T9/LED/CIR/830/BP	✓	✓
S16501	S16501	FC8T9/LED/CIR/840/BP	✓	✓
S16502	S16502	FC8T9/LED/CIR/865/BP	✓	✓
S16503	S16503	FC12T9/LED/CIR/830/BP	✓	✓
S16504	S16504	FC12T9/LED/CIR/840/BP	✓	✓
S16505	S16505	FC12T9/LED/CIR/865/BP	✓	✓
S18410	S18410	13T8U6/LED/CCT/DUAL/SE-DE	✓	✓
S18411	S18411	13T8U1/LED/CCT/DUAL/SE-DE	✓	✓
S18412	S18412	13T8U3/LED/CCT/DUAL/SE-DE	✓	✓
S18450	S18450	13T8/U1-G13/LED/830/DUAL	✓	✓
S18451	S18451	13T8/U1-G13/LED/835/DUAL	✓	✓
S18452	S18452	13T8/U1-G13/LED/840/DUAL	✓	✓
S18453	S18453	13T8/U1-G13/LED/850/DUAL	✓	✓
S21410	S21410	9PL/LED/HV/5CCT/A B/G24Q	✓	✓
S21411	S21411	9PL/LED/HV/5CCT/A B/G24D	✓	✓
S21412	S21412	16PL/LED/HV/5CCT/A B/G24Q	✓	✓
NA	S21413	14W/PL/LED/HL/5CCT/G24	✓	✓
NA	S21414	18W/PL/LED/HL/5CCT/G24	✓	✓
NA	S21415	22W/PL/LED/HL/5CCT/G24	✓	✓
S28690	S28690	13T5/LED/46-835/BP/HE/SE-DE	✓	✓
S28691	S28691	13T5/LED/46-840/BP/HE/SE-DE	✓	✓
S28692	S28692	13T5/LED/46-850/BP/HE/SE-DE	✓	✓
S28693	S28693	12T5/LED/24-835/BP/HO/SE-DE	✓	✓
S28694	S28694	12T5/LED/24-840/BP/HO/SE-DE	✓	✓
S28695	S28695	12T5/LED/24-850/BP/HO/SE-DE	✓	✓
S28696	S28696	16T5/LED/36-835/BP/HO/SE-DE	✓	✓
S28697	S28697	16T5/LED/36-840/BP/HO/SE-DE	✓	✓
S28698	S28698	16T5/LED/36-850/BP/HO/SE-DE	✓	✓
S28725	S28725	6W/LED/CFL/827/GX23/BP/G2	✓	✓
S28726	S28726	6W/LED/CFL/830/GX23/BP/G2	✓	✓
S28727	S28727	6W/LED/CFL/835/GX23/BP/G2	✓	✓
S28728	S28728	6W/LED/CFL/840/GX23/BP/G2	✓	✓
S28729	S28729	6W/LED/CFL/850/GX23/BP/G2	✓	✓
S29717	S29717	25T5/LED/46-835/BP/HO/120-277V	✓	✓
S29718	S29718	25T5/LED/46-840/BP/HO/120-277V	✓	✓
S29719	S29719	25T5/LED/46-850/BP/HO/120-277V	✓	✓

Master Compatibility list of Lamps/Down Lights for S8000, S8002

S8000	S8002	Description	Operating Voltage 120V	Operating Voltage 277V
S29900	S29900	9T8/LED/24-830/BP 120-277V	✓	✓
S29901	S29901	9T8/LED/24-835/BP 120-277V	✓	✓
S29902	S29902	9T8/LED/24-840/BP 120-277V	✓	✓
S29903	S29903	9T8/LED/24-850/BP 120-277V	✓	✓
S29904	S29904	17T8/LED/48-830/BP 120-277V	✓	✓
S29904	S29904	17T8/LED/48-830/BP 120-277V	✓	✓
S29905	S29905	17T8/LED/48-835/BP 120-277V	✓	✓
S29905	S29905	17T8/LED/48-835/BP 120-277V	✓	✓
S29906	S29906	17T8/LED/48-840/BP 120-277V	✓	✓
S29906	S29906	17T8/LED/48-840/BP 120-277V	✓	✓
S29907	S29907	17T8/LED/48-850/BP 120-277V	✓	✓
S29907	S29907	17T8/LED/48-850/BP 120-277V	✓	✓
S29913	S29913	14T8/LED/48-830/BP 120-277V	✓	✓
S29914	S29914	14T8/LED/48-835/BP 120-277V	✓	✓
S29915	S29915	14T8/LED/48-840/BP 120-277V	✓	✓
S29916	S29916	14T8/LED/48-850/BP 120-277V	✓	✓
S29926	S29926	12T8/LED/36-830/BP 120-277V	✓	✓
S29927	S29927	12T8/LED/36-835/BP 120-277V	✓	✓
S29928	S29928	12T8/LED/36-840/BP 120-277V	✓	✓
S29929	S29929	12T8/LED/36-850/BP 120-277V	✓	✓
S39717	S39717	25T5/LED/46-835/BP/HO/SE-DE	✓	✓
S39718	S39718	25T5/LED/46-840/BP/HO/SE-DE	✓	✓
S39719	S39719	25T5/LED/46-850/BP/HO/SE-DE	✓	✓
S39900	S39900	9T8/LED/24-830/BP/SE-DE	✓	✓
S39901	S39901	9T8/LED/24-835/BP/SE-DE	✓	✓
S39902	S39902	9T8/LED/24-840/BP/SE-DE	✓	✓
S39903	S39903	9T8/LED/24-850/BP/SE-DE	✓	✓
S39904	S39904	17T8/LED/48-830/BP/SE-DE	✓	✓
S39905	S39905	17T8/LED/48-835/BP/SE-DE	✓	✓
S39906	S39906	17T8/LED/48-840/BP/SE-DE	✓	✓
S39907	S39907	17T8/LED/48-850/BP/SE-DE	✓	✓
S39913	S39913	14T8/LED/48-830/BP/SE-DE	✓	✓
S39914	S39914	14T8/LED/48-835/BP/SE-DE	✓	✓
S39915	S39915	14T8/LED/48-840/BP/SE-DE	✓	✓
S39916	S39916	14T8/LED/48-850/BP/SE-DE	✓	✓
S39926	S39926	12T8/LED/36-830/BP/SE-DE	✓	✓
S39927	S39927	12T8/LED/36-835/BP/SE-DE	✓	✓
S39928	S39928	12T8/LED/36-840/BP/SE-DE	✓	✓
S39929	S39929	12T8/LED/36-850/BP/SE-DE	✓	✓
S8530	S8530	9WPLH/LED/827/BP/2P	✓	✓
S8531	S8531	9WPLH/LED/830/BP/2P	✓	✓

Master Compatibility list of Lamps/Down Lights for S8000, S8002

S8000	S8002	Description	Operating Voltage 120V	Operating Voltage 277V
S8532	S8532	9WPLH/LED/835/BP/2P	✓	✓
S8533	S8533	9WPLH/LED/840/BP/2P	✓	✓
S8534	S8534	9WPLH/LED/850/BP/2P	✓	✓
S8535	S8535	9WPLV/LED/827/BP/2P	✓	✓
S8536	S8536	9WPLV/LED/830/BP/2P	✓	✓
S8537	S8537	9WPLV/LED/835/BP/2P	✓	✓
S8538	S8538	9WPLV/LED/840/BP/2P	✓	✓
S8745	S8745	8W/H/LED/CFL/827/GU24/120-277V	✓	✓
S8745	S8745	8W/H/LED/CFL/827/GU24/120-277V	✓	✓
S8746	S8746	8W/H/LED/CFL/830/GU24/120-277V	✓	✓
S8746	S8746	8W/H/LED/CFL/830/GU24/120-277V	✓	✓
S8747	S8747	8W/H/LED/CFL/835/GU24/120-277V	✓	✓
S8747	S8747	8W/H/LED/CFL/835/GU24/120-277V	✓	✓
S8748	S8748	8W/H/LED/CFL/840/GU24/120-277V	✓	✓
S8748	S8748	8W/H/LED/CFL/840/GU24/120-277V	✓	✓
S8749	S8749	8W/H/LED/CFL/850/GU24/120-277V	✓	✓
S8749	S8749	8W/H/LED/CFL/850/GU24/120-277V	✓	✓
S8755	S8755	8W/H/LED/CFL/827/E26/120-277V	✓	✓
S8756	S8756	8W/H/LED/CFL/830/E26/120-277V	✓	✓
S8757	S8757	8W/H/LED/CFL/835/E26/120-277V	✓	✓
S8758	S8758	8W/H/LED/CFL/840/E26/120-277V	✓	✓
S8759	S8759	8W/H/LED/CFL/850/E26/120-277V	✓	✓
S8890	S8890	13T8/LED/48-830/DUAL/BP-DR	✓	✓
S8891	S8891	13T8/LED/48-835/DUAL/BP-DR	✓	✓
S8892	S8892	13T8/LED/48-840/DUAL/BP-DR	✓	✓
S8893	S8893	13T8/LED/48-850/DUAL/BP-DR	✓	✓
S9720	S9720	15T8/LED/48-830/BP	✓	✓
S9721	S9721	15T8/LED/48-835/BP	✓	✓
S9722	S9722	15T8/LED/48-840/BP	✓	✓
S9723	S9723	15T8/LED/48-850/BP	✓	✓
S9930	S9930	15T8U6/LED/22.5-830/BP	✓	✓
S9931	S9931	15T8U6/LED/22.5-835/BP	✓	✓
S9932	S9932	15T8U6/LED/22.5-840/BP	✓	✓
S9933	S9933	15T8U6/LED/22.5-850/BP	✓	✓
S9950	S9950	23PLL/LED/835/BP	✓	✓
S9951	S9951	23PLL/LED/840/BP	✓	✓
S9952	S9952	15PLL/LED/835/BP	✓	✓
S9953	S9953	15PLL/LED/840/BP	✓	✓
3/19/2024		✓ = Compatible		