SATCO NUVO





3 PAR SIZES / 4 FINISHES

120V / NO TRANSFORMER REQUIRED

WET LOCATION RATED

MULTIPLE MOUNTING ACCESSORIES

SUGGESTED APPLICATIONS

Residential, Multi-Family,
Offices, Retail,
Commercial, Hospitality
& Industrial Applications

LED LANDSCAPE

FLOOD LIGHTS



Accessories



SATCO|NUVO's LED Landscape Floods are sleek in design and offer the versatility to light any outdoor environment. Mounting accessories are available to suit a variety of applications such as post mounts for landscape or mounting plates for wall or under eave lighting. These flood lights are 120V (no transformer required) and are offered in three sizes and four different finishes. Constructed out of die-cast aluminum, these fixtures are built to withstand harsh weather conditions.













GENERAL SPECIFICATIONS

Input Voltage: 120V

CCT: 3000K **CRI:** 80

Efficacy: Up to 107 LPW

Beam Angle: 60°

Functional Life (L70): 50,000 Hours

Ambient Operating Temperature: $-20^{\circ}\text{C} (-4^{\circ}\text{F}) \text{ to } +40^{\circ}\text{C} (+104^{\circ}\text{F})$

Construction: Die-Cast Aluminum

Location Rating: Wet Warranty: 5 Years







ITEM SPECIFICATIONS / ORDER INFO

Item	Finish	Lamp Shape	Watts	Lumens
62-1200	BRONZE	PAR 16	6W	640lm
62-1201	DARK GRAY	PAR 16	6W	640lm
62-1202	LIGHT GRAY	PAR 16	6W	640lm
62-1197	MATTE BLACK	PAR 16	6W	640lm
62-1203	DARK GRAY	PAR 20	9W	900lm
62-1204	LIGHT GRAY	PAR 20	9W	900lm
62-1205	BRONZE	PAR 20	9W	900lm
62-1198	MATTE BLACK	PAR 20	9W	900lm
62-1206	BRONZE	PAR 30	12W	1248lm
62-1207	DARK GRAY	PAR 30	12W	1248lm
62-1208	LIGHT GRAY	PAR 30	12W	1248lm
62-1199	MATTE BLACK	PAR 30	12W	1248lm

MOUNTING PLATES

Item	Description	Finish	Width	Height
60-673	1 LIGHT DIE CAST MOUNTING PLATE	LIGHT GRAY	4.5"	.78"
60-674	2 LIGHT DIE CAST MOUNTING PLATE	LIGHT GRAY	4.5"	.78"
60-675	1 LIGHT DIE CAST MOUNTING PLATE	DARK GRAY	4.5"	.78"
60-676	2 LIGHT DIE CAST MOUNTING PLATE	DARK GRAY	4.5"	.78"
60-671	1 LIGHT DIE CAST MOUNTING PLATE	MATTE BLACK	4.5"	.78"
60-672	2 LIGHT DIE CAST MOUNTING PLATE	MATTE BLACK	4.5"	.78"
SF76-665	1 LIGHT DIE CAST MOUNTING PLATE	DARK BRONZE	4.5"	.78"
SF76-666	2 LIGHT DIE CAST MOUNTING PLATE	DARK BRONZE	4.5"	.78"

MOUNTING POSTS

Item	Description	Finish	Width	Height
60-677	2" DIAMETER PVC MOUNTING POST	DARK GRAY	18"	2"
60-678	3" DIAMETER PVC MOUNTING POST	DARK GRAY	18"	3"
60-679	2" DIAMETER PVC MOUNTING POST	LIGHT GRAY	18"	2"
60-680	3" DIAMETER PVC MOUNTING POST	LIGHT GRAY	18"	3"
SF76-640	2" DIAMETER PVC MOUNTING POST	DARK BRONZE	18"	2"
SF76-641	3" DIAMETER PVC MOUNTING POST	DARK BRONZE	18"	2"
60-681	2" DIAMETER PVC MOUNTING POST	MATTE BLACK	18"	2"
60-682	3" DIAMETER PVC MOUNTING POST	MATTE BLACK	18"	3"
60-681	2" DIAMETER PVC MOUNTING POST	MATTE BLACK	18"	





DIMENSIONS


Flood Lights	A- Height	B- Length	C-Diameter
PAR16	3.25"	5.50"	2.45"
PAR20	4.00"	6.25"	2.63"
PAR30	4.92"	12.20"	5.51"

Mounting Plates	A- Height	B- Diameter
1 LIGHT MOUNTING PLATE	_	4.5"
2 LIGHT MOUNTING PLATE	_	4.5"


Mounting Posts	A- Height	B- Diameter
2" DIAMETER PVC MOUNTING POST	18"	2"
3" DIAMETER PVC MOUNTING POST	18"	3"








PHOTOMETRICS



Beam Angle: 60°



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Fixture may not be compatible with all dimmers.