

LED FILAMENT LAMPS



SATCO LED LAMPS

90 CRI LED A15, A19 FILAMENT LAMPS



Features:

- 90 CRI "A" lamps
- 40-100w replacements
- High lumens & efficiency
- Clear and soft white options
- 4 CCT options
- Approved for enclosed fixtures^
- Dimmable
- Long life

Applications:

- Residential
- Hospitality
- Commercial
- Retail
- Display




90 CRI LED A15 FILAMENT LAMPS 40W, 60W REPLACEMENTS



A15 SW



A15 CL



Beam Angle: 320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
40W Replacement														
S12400	5A15/CL/LED/927/120V	5	120	A15	E26	CL	2700K	450	90	3.39	1.89	15K	045923124006	24/6
S12401	5A15/CL/LED/930/120V	5	120	A15	E26	CL	3000K	450	90	3.39	1.89	15K	045923124013	24/6
S12402	5A15/CL/LED/940/120V	5	120	A15	E26	CL	4000K	450	90	3.39	1.89	15K	045923124020	24/6
S12403	5A15/CL/LED/950/120V	5	120	A15	E26	CL	5000K	450	90	3.39	1.89	15K	045923124037	24/6
S12404	5A15/SW/LED/927/120V	5	120	A15	E26	SW	2700K	450	90	3.39	1.89	15K	045923124044	24/6
S12405	5A15/SW/LED/930/120V	5	120	A15	E26	SW	3000K	450	90	3.39	1.89	15K	045923124051	24/6
60W Replacement														
S12406	8.2A15/CL/LED/930/120V	8.2	120	A15	E26	CL	3000K	800	90	3.39	1.89	15K	045923124068	24/6
S12407	8.2A15/SW/LED/930/120V	8.2	120	A15	E26	SW	3000K	800	90	3.39	1.89	15K	045923124075	24/6

^ See warranty for details at www.satco.com

Product sheet SA2690


90 CRI LED A19 FILAMENT LAMPS 40W, 60W REPLACEMENTS



A19 SW



A19 CL



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
40W Replacement														
S12408	5A19/CL/LED/927/120V	5	120	A19	E26	CL	2700K	450	90	4.02	2.36	15K	045923124082	24/6
S12409	5A19/CL/LED/930/120V	5	120	A19	E26	CL	3000K	450	90	4.02	2.36	15K	045923124099	24/6
S12410	5A19/CL/LED/940/120V	5	120	A19	E26	CL	4000K	450	90	4.02	2.36	15K	045923124105	24/6
S12411	5A19/CL/LED/950/120V	5	120	A19	E26	CL	5000K	450	90	4.02	2.36	15K	045923124112	24/6
S12412	5A19/SW/LED/927/120V	5	120	A19	E26	SW	2700K	450	90	4.02	2.36	15K	045923124129	24/6
S12413	5A19/SW/LED/930/120V	5	120	A19	E26	SW	3000K	450	90	4.02	2.36	15K	045923124136	24/6

Multi-Pack

S21712*†	5A19/CL/LED/27K/120V/4PK	5	120	A19	E26	CL	2700K	450	80	4.00	2.38	15K	045923217128	12-4pks
----------	--------------------------	---	-----	-----	-----	----	-------	-----	----	------	------	-----	--------------	---------

^ See warranty for details at www.satco.com

Product sheet SA2690




A19 FR



A19 CL



A19 SLV



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
60W Replacement														
S39879 †■	8A19/CL/LED/927/120V	8	120	A19	E26	CL	2700K	800	90	4.13	2.38	15K	045923398797	24/6
S12414	8A19/CL/LED/927/120V	8	120	A19	E26	CL	2700K	800	90	4.02	2.36	15K	045923124143	24/6
S12415	8A19/CL/LED/930/120V	8	120	A19	E26	CL	3000K	800	90	4.02	2.36	15K	045923124150	24/6
S12416	8A19/CL/LED/935/120V	8	120	A19	E26	CL	3500K	800	90	4.02	2.36	15K	045923124167	24/6
S12417	8A19/CL/LED/940/120V	8	120	A19	E26	CL	4000K	800	90	4.02	2.36	15K	045923124174	24/6
S12418	8A19/CL/LED/950/120V	8	120	A19	E26	CL	5000K	800	90	4.02	2.36	15K	045923124181	24/6
S12419	8.2A19/SW/LED/927/120V	8.2	120	A19	E26	SW	2700K	800	90	4.02	2.36	15K	045923124198	24/6
S12420	8.2A19/SW/LED/930/120V	8.2	120	A19	E26	SW	3000K	800	90	4.02	2.36	15K	045923124204	24/6
S12421+	6A19/SLV/LED/927/120V	6	120	A19	E26	SLVR CRWN	2700K	650	90	4.02	2.36	15K	045923124211	24/6
S11355■	8A19/CL/LED/930/120V	8	120	A19	E26	CL	3000K	800	90	4.3	3.36	15K	045923113550	24/6
S11356■	8A19/SW/LED/930/120V	8	120	A19	E26	SW	2700K	800	90	4.3	3.36	15K	045923113567	24/6

Multi-Pack

S21713*†	7.5A19/CL/LED/27K/120V/4PK	7.5	120	A19	E26	CL	2700K	800	80	4.00	2.38	15K	045923217135	12-4pks
S21714*†	7.5A19/SW/LED/27K/120V/4PK	7.5	120	A19	E26	FR	2700K	800	80	4.00	2.38	15K	045923217142	12-4pks
S21734*†	7.5A19/CL/LED/3K/120V/4PK	7.5	120	A19	E26	CL	3000K	800	80	4.06	2.38	15K	045923217340	12-4pks

^ See warranty for details at www.satco.com. +Silver crown are 180° beam angle. ■ T24/JA8

Product sheet SA2690


90 CRI LED A19 FILAMENT LAMPS 75W, 100W REPLACEMENTS



A19 SW



A19 CL



Beam Angle: 320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
75W Replacement														
S12422	10.5A19/CL/LED/927/120V	10.5	120	A19	E26	CL	2700K	1100	90	4.02	2.36	15K	045923124228	24/6
S12423	10.5A19/CL/LED/930/120V	10.5	120	A19	E26	CL	3000K	1100	90	4.02	2.36	15K	045923124235	24/6
S12424	10.5A19/CL/LED/940/120V	10.5	120	A19	E26	CL	4000K	1100	90	4.02	2.36	15K	045923124242	24/6
S12425	10.5A19/CL/LED/950/120V	10.5	120	A19	E26	CL	5000K	1100	90	4.02	2.36	15K	045923124259	24/6
S12426	11A19/SW/LED/927/120V	11	120	A19	E26	SW	2700K	1100	90	4.02	2.36	15K	045923124266	24/6
S12427	11A19/SW/LED/930/120V	11	120	A19	E26	SW	3000K	1100	90	4.02	2.36	15K	045923124273	24/6
S12428	11A19/SW/LED/940/120V	11	120	A19	E26	SW	4000K	1100	90	4.02	2.36	15K	045923124280	24/6
S11357■	11A19/CL/LED/927/120V	11	120	A19	E26	CL	2700K	1100	90	4.3	2.36	15K	045923113574	24/6
S11358■	11A19/CL/LED/930/120V	11	120	A19	E26	CL	3000K	1100	90	4.3	2.36	15K	045923113581	24/6
S11359■	11A19/SW/LED/927/120V	11	120	A19	E26	SW	2700K	1100	90	4.3	2.36	15K	045923113598	24/6
Multi-Pack														
S12436**	10.5A19/CL/LED/927/120V/4PK	10.5	120	A19	E26	CL	2700K	1100	90	4.02	2.36	15K	045923124365	12-4pks
S12437**	10.5A19/CL/LED/930/120V/4PK	10.5	120	A19	E26	CL	3000K	1100	90	4.02	2.36	15K	045923124372	12-4pks
S12438**	11A19/FR/LED/927/120V/4PK	11	120	A19	E26	SW	2700K	1100	90	4.02	2.36	15K	045923124389	12-4pks
S12439**	11A19/FR/LED/930/120V/4PK	11	120	A19	E26	SW	3000K	1100	90	4.02	2.36	15K	045923124396	12-4pks

^ See warranty for details at www.satco.com


Product sheet SA2690



A19 SW



A19 CL



Beam Angle: 320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
100W Replacement														
S12429	12.5A19/CL/LED/927/120V	12.5	120	A19	E26	CL	2700K	1500	90	4.41	2.36	15K	045923124297	24/6
S12430	12.5A19/CL/LED/930/120V	12.5	120	A19	E26	CL	3000K	1500	90	4.41	2.36	15K	045923124303	24/6
S12431	12.5A19/CL/LED/940/120V	12.5	120	A19	E26	CL	4000K	1500	90	4.41	2.36	15K	045923124310	24/6
S12432	12.5A19/CL/LED/950/120V	12.5	120	A19	E26	CL	5000K	1500	90	4.41	2.36	15K	045923124327	24/6
S12433	13.5A19/SW/LED/927/120V	13.5	120	A19	E26	SW	2700K	1500	90	4.41	2.36	15K	045923124334	24/6
S12434	13.5A19/SW/LED/930/120V	13.5	120	A19	E26	SW	3000K	1500	90	4.41	2.36	15K	045923124341	24/6
S12435	13.5A19/SW/LED/940/120V	13.5	120	A19	E26	SW	4000K	1500	90	4.41	2.36	15K	045923124358	24/6
S11360■	14A21/CL/LED/927/120V	14	120	A21	E26	CL	2700K	1600	90	5.00	2.76	15K	045923113604	24/6
S11361■	14A21/CL/LED/930/120V	14	120	A21	E26	CL	3000K	1600	90	5.00	2.76	15K	045923113611	24/6
S11362■	14A21/SW/LED/927/120V	14	120	A21	E26	SW	2700K	1600	90	5.00	2.76	15K	045923113628	24/6
Multi-Pack														
S12442	12.5A19/CL/LED/927/120V/4PK	12.5	120	A19	E26	CL	2700K	1500	90	4.41	2.36	15K	045923124426	12-4pks
S12443	12.5A19/CL/LED/930/120V/4PK	12.5	120	A19	E26	CL	3000K	1500	90	4.41	2.36	15K	045923124433	12-4pks
S12440	13.5A19/FR/LED/927/120V/4PK	13.5	120	A19	E26	SW	2700K	1500	90	4.41	2.36	15K	045923124402	12-4pks
S12441	13.5A19/FR/LED/930/120V/4PK	13.5	120	A19	E26	SW	3000K	1500	90	4.41	2.36	15K	045923124419	12-4pks

^ See warranty for details at www.satco.com. ■ T24/JA8

Product sheet SA2690

DECORATIVE LED FILAMENT LAMPS



LED FILAMENT LAMPS

GLOBES - G16½

25W, 40W & 60W

REPLACEMENTS

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures[^]
- c-UL-us listed
- CEC T20
- ENERGY STAR certified*
- 3 Year warranty



G16½ CL
E12




G16½ WH
E12



G16½ CL
E26



G16½ WH
E26



Beam Angle: 320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
25 Watt Replacement E12														
S21200	3G16.5/LED/CL/927/120V/E12	3	120	G16.5	E12	CL	2700K	200	90	3.11	1.97	15K	045923205156	24/6
S21201	3G16.5/LED/CL/940/120V/E12	3	120	G16.5	E12	CL	4000K	200	90	3.11	1.97	15K	045923205163	24/6
S21202	3G16.5/LED/WH/927/120V/E12	3	120	G16.5	E12	WH	2700K	200	90	3.11	1.97	15K	045923205170	24/6
S21203	3G16.5/LED/WH/940/120V/E12	3	120	G16.5	E12	WH	4000K	200	90	3.11	1.97	15K	045923205187	24/6
40 Watt Replacement E12														
S21204*	4G16.5/LED/CL/927/120V/E12	4	120	G16.5	E12	CL	2700K	350	90	3.11	1.97	15K	045923205194	24/6
S21205*	4G16.5/LED/CL/930/120V/E12	4	120	G16.5	E12	CL	3000K	350	90	3.11	1.97	15K	045923205200	24/6
S21206*	4G16.5/LED/CL/940/120V/E12	4	120	G16.5	E12	CL	4000K	350	90	3.11	1.97	15K	045923205217	24/6
S21207*	4.5G16.5/LED/WH/927/120V/E12	4.5	120	G16.5	E12	WH	2700K	350	90	3.11	1.97	15K	045923205224	24/6
S21208*	4.5G16.5/LED/WH/940/120V/E12	4.5	120	G16.5	E12	WH	4000K	350	90	3.11	1.97	15K	045923205231	24/6
60 Watt Replacement E12														
S21209*	5.5G16.5/LED/CL/927/120V/E12	5.5	120	G16.5	E12	CL	2700K	500	90	3.11	1.97	15K	045923205248	24/6
S21210*	5.5G16.5/LED/CL/930/120V/E12	5.5	120	G16.5	E12	CL	3000K	500	90	3.11	1.97	15K	045923205255	24/6
S21211*	5.5G16.5/LED/CL/940/120V/E12	5.5	120	G16.5	E12	CL	4000K	500	90	3.11	1.97	15K	045923205262	24/6
S21212*	5.5G16.5/LED/WH/927/120V/E12	5.5	120	G16.5	E12	WH	2700K	500	90	3.11	1.97	15K	45923205279	24/6
S21213*	5.5G16.5/LED/WH/930/120V/E12	5.5	120	G16.5	E12	WH	3000K	500	90	3.11	1.97	15K	045923205286	24/6
S21214*	5.5G16.5/LED/WH/940/120V/E12	5.5	120	G16.5	E12	WH	4000K	500	90	3.11	1.97	15K	045923205293	24/6
40 Watt Replacement E26														
S21215*	4G16.5/LED/CL/927/120V/E26	4	120	G16.5	E26	CL	2700K	350	90	3.11	1.97	15K	045923205309	24/6
S21216*	4G16.5/LED/CL/930/120V/E26	4	120	G16.5	E26	CL	3000K	350	90	3.11	1.97	15K	045923205316	24/6
S21217*	4G16.5/LED/CL/940/120V/E26	4	120	G16.5	E26	CL	4000K	350	90	3.11	1.97	15K	045923205323	24/6
S21218*	4.5G16.5/LED/WH/927/120V/E26	4.5	120	G16.5	E26	WH	2700K	350	90	3.11	1.97	15K	045923205330	24/6
S21219*	4.5G16.5/LED/WH/940/120V/E26	4.5	120	G16.5	E26	WH	4000K	350	90	3.11	1.97	15K	045923205347	24/6
60 Watt Replacement E26														
S21220*	5.5G16.5/LED/CL/927/120V/E26	5.5	120	G16.5	E26	CL	2700K	500	90	3.11	1.97	15K	045923205354	24/6
S21221*	5.5G16.5/LED/CL/930/120V/E26	5.5	120	G16.5	E26	CL	3000K	500	90	3.11	1.97	15K	045923205361	24/6
S21222*	5.5G16.5/LED/CL/940/120V/E26	5.5	120	G16.5	E26	CL	4000K	500	90	3.11	1.97	15K	045923205378	24/6
S21223*	5.5G16.5/LED/WH/927/120V/E26	5.5	120	G16.5	E26	WH	2700K	500	90	3.11	1.97	15K	045923205385	24/6
S21224*	5.5G16.5/LED/WH/930/120V/E26	5.5	120	G16.5	E26	WH	3000K	500	90	3.11	1.97	15K	045923205392	24/6
S21225*	5.5G16.5/LED/WH/940/120V/E26	5.5	120	G16.5	E26	WH	4000K	500	90	3.11	1.97	15K	045923205408	24/6

[^] See warranty for details at www.satco.com

LED FILAMENT LAMPS GLOBES - G25 40W & 60W REPLACEMENTS

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures[^]
- c-UL-us listed
- CEC T20
- ENERGY STAR certified*
- 3 Year warranty




G25 Clear



G25 White



G25 Silver Crown



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
40 Watt Replacement														
S21226	4.5G25/LED/CL/927/120V	4.5	120	G25	E26	CL	2700K	350	90	4.45	3.15	15K	045923205415	24/6
S21227	4.5G25/LED/CL/930/120V	4.5	120	G25	E26	CL	3000K	350	90	4.45	3.15	15K	045923205422	24/6
S21228	4.5G25/LED/CL/940/120V	4.5	120	G25	E26	CL	4000K	350	90	4.45	3.15	15K	045923205439	24/6
S21229	4.5G25/LED/CL/950/120V	4.5	120	G25	E26	CL	5000K	350	90	4.45	3.15	15K	045923205446	24/6
S21230	4.5G25/LED/WH/927/120V	4.5	120	G25	E26	WH	2700K	350	90	4.45	3.15	15K	045923205453	24/6
S21231	4.5G25/LED/WH/930/120V	4.5	120	G25	E26	WH	3000K	350	90	4.45	3.15	15K	045923205460	24/6
S21232	4.5G25/LED/WH/940/120V	4.5	120	G25	E26	WH	4000K	350	90	4.45	3.15	15K	045923205477	24/6
S21233	4.5G25/LED/WH/950/120V	4.5	120	G25	E26	WH	5000K	350	90	4.45	3.15	15K	045923205484	24/6
S9828	4.5G25/SLV/LED/E26/27K/120V	4.5	120	G25	E26	SLVR CRWN	2700K	450	80	4.45	3.15	15K	045923098284	24/6
Multi-Pack														
S21242	4.5G25/LED/CL/927/120V/2PK	4.5	120	G25	E26	CL	2700K	350	90	4.45	3.15	15K	045923205576	24/2pks
S21243	4.5G25/LED/CL/930/120V/2PK	4.5	120	G25	E26	CL	3000K	350	90	4.45	3.15	15K	045923205583	24/2pks
S21244	4.5G25/LED/WH/927/120V/2PK	4.5	120	G25	E26	WH	2700K	350	90	4.45	3.15	15K	045923205590	24/2pks
60 Watt Replacement														
S29878	5.5G25/LED/CL/927/120V	5.5	120	G25	E26	CL	2700K	500	90	4.45	3.15	15K	045923205491	24/6
S21234	6G25/LED/CL/927/120V	6	120	G25	E26	CL	2700K	500	90	4.45	3.15	15K	045923205491	24/6
S21235	6G25/LED/CL/930/120V	6	120	G25	E26	CL	3000K	500	90	4.45	3.15	15K	045923205507	24/6
S21236	6G25/LED/CL/940/120V	6	120	G25	E26	CL	4000K	500	90	4.45	3.15	15K	045923205514	24/6
S21237	6G25/LED/CL/950/120V	6	120	G25	E26	CL	5000K	500	90	4.45	3.15	15K	045923205521	24/6
S21238	6G25/LED/WH/927/120V	6	120	G25	E26	WH	2700K	500	90	4.45	3.15	15K	045923205538	24/6
S21239	6G25/LED/WH/930/120V	6	120	G25	E26	WH	3000K	500	90	4.45	3.15	15K	045923205545	24/6
S21240	6G25/LED/WH/940/120V	6	120	G25	E26	WH	4000K	500	90	4.45	3.15	15K	045923205552	24/6
S21241	6G25/LED/WH/950/120V	6	120	G25	E26	WH	5000K	500	90	4.45	3.15	15K	045923205569	24/6
Multi-Pack														
S21245	6G25/LED/CL/927/120V/2PK	6	120	G25	E26	CL	2700K	500	90	4.45	3.15	15K	045923205606	24/2pks
S21246	6G25/LED/CL/930/120V/2PK	6	120	G25	E26	CL	3000K	500	90	4.45	3.15	15K	045923205613	24/2pks
S21247	6G25/LED/WH/927/120V/2PK	6	120	G25	E26	WH	2700K	500	90	4.45	3.15	15K	045923205620	24/2pks

[^] See warranty for details at www.satco.com. ■ T24/JA8

LED FILAMENT LAMPS GLOBES - G40 40W, 60W & 100W REPLACEMENTS


Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Damp location
- Approved for totally enclosed fixtures ^
- c-UL-us listed
- CEC T20
- ENERGY STAR certified*
- 3 Year warranty



G40 Clear

G40 White



Beam Angle: 320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
40 Watt Replacement														
S21248	4G40/CL/LED/E26/927/120V	4	120	G40	E26	CL	2700K	350	90	6.54	4.88	15K	045923205637	24/1
S21249	4G40/CL/LED/E26/940/120V	4	120	G40	E26	CL	4000K	350	90	6.54	4.88	15K	045923205644	24/1
S21250	4.5G40/WH/LED/E26/927/120V	4.5	120	G40	E26	WH	2700K	350	90	6.54	4.88	15K	045923205651	24/1
S21251	4.5G40/WH/LED/E26/940/120V	4.5	120	G40	E26	WH	4000K	350	90	6.54	4.88	15K	045923205668	24/1
60 Watt Replacement														
S21252	6G40/CL/LED/E26/927/120V	6	120	G40	E26	CL	2700K	500	90	6.54	4.88	15K	045923205675	24/1
S21253	6G40/CL/LED/E26/930/120V	6	120	G40	E26	CL	3000K	500	90	6.54	4.88	15K	045923205682	24/1
S21254	6G40/CL/LED/E26/940/120V	6	120	G40	E26	CL	4000K	500	90	6.54	4.88	15K	045923205699	24/1
S21255	6G40/WH/LED/E26/927/120V	6	120	G40	E26	WH	2700K	500	90	6.54	4.88	15K	045923205705	24/1
S21256	6G40/WH/LED/E26/930/120V	6	120	G40	E26	WH	3000K	500	90	6.54	4.88	15K	045923205712	24/1
S21257	6G40/WH/LED/E26/940/120V	6	120	G40	E26	WH	4000K	500	90	6.54	4.88	15K	045923205729	24/1
100 Watt Replacement														
S21258	8G40/CL/LED/E26/930/120V	8	120	G40	E26	CL	3000K	800	90	6.54	4.88	15K	045923205736	24/1
S21259	8G40/CL/LED/E26/940/120V	8	120	G40	E26	CL	4000K	800	90	6.54	4.88	15K	045923205743	24/1
S21260	8G40/WH/LED/E26/930/120V	8	120	G40	E26	WH	3000K	800	90	6.54	4.88	15K	045923205750	24/1
S21261	8G40/WH/LED/E26/940/120V	8	120	G40	E26	WH	4000K	800	90	6.54	4.88	15K	045923205767	24/1

^ See warranty for details at www.satco.com

LED FILAMENT LAMPS DECORATIVE - CANDELABRA BASE/ TORPEDO SHAPE



Features:

- High lumen decorative lamps
- Filament style LED with a traditional incandescent look and feel
- 3 Year warranty






B11 Clear



B11 Frost



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
25 Watt Replacement														
S21262	3B11/LED/927/CL/120/E12	3	120	B11	E12	CL	2700K	200	90	3.4	1.38	15K	045923205774	24/6
S21263	3B11/LED/927/FR/120/E12	3	120	B11	E12	FR	2700K	200	90	3.4	1.38	15K	045923205781	24/6
40 Watt Replacement														
S21264	4B11/LED/927/CL/120/E12	4	120	B11	E12	CL	2700K	350	90	3.4	1.38	15K	045923205798	24/6
S21265	4B11/LED/930/CL/120/E12	4	120	B11	E12	CL	3000K	350	90	3.4	1.38	15K	045923205804	24/6
S21266	4B11/LED/935/CL/120/E12	4	120	B11	E12	CL	3500K	350	90	3.4	1.38	15K	045923205811	24/6
S21267	4B11/LED/940/CL/120/E12	4	120	B11	E12	CL	4000K	350	90	3.4	1.38	15K	045923205828	24/6
S21268	4B11/LED/950/CL/120/E12	4	120	B11	E12	CL	5000K	350	90	3.4	1.38	15K	045923205835	24/6
S21269	4B11/LED/927/FR/120/E12	4	120	B11	E12	FR	2700K	350	90	3.4	1.38	15K	045923205842	24/6
S21270	4B11/LED/930/FR/120/E12	4	120	B11	E12	FR	3000K	350	90	3.4	1.38	15K	045923205859	24/6
S21271	4B11/LED/940/FR/120/E12	4	120	B11	E12	FR	4000K	350	90	3.4	1.38	15K	045923205866	24/6
S29877■	4.5B11/LED/927/CL/120/E12	4	120	B11	E12	FR	2700K	350	90	3.4	1.38	15K	045923298776	24/6
S21272	4B11/LED/950/FR/120/E12	4	120	B11	E12	FR	5000K	350	90	3.4	1.38	15K	045923205873	24/6
Multi-Pack														
S21366	4B11/LED/927/CL/120V/E12/3PK	4	120	B11	E12	CL	2700K	350	90	3.4	1.38	15K	045923206733	24/3pks
S21367	4B11/LED/930/CL/120V/E12/3PK	4	120	B11	E12	CL	3000K	350	90	3.4	1.38	15K	045923206740	24/3pks
60 Watt Replacement														
S21273	5.5B11/LED/927/CL/120/E12	5.5	120	B11	E12	CL	2700K	500	90	3.4	1.38	15K	045923205880	24/6
S21274	5.5B11/LED/930/CL/120/E12	5.5	120	B11	E12	CL	3000K	500	90	3.4	1.38	15K	045923205897	24/6
S21275	5.5B11/LED/935/CL/120/E12	5.5	120	B11	E12	CL	3500K	500	90	3.4	1.38	15K	045923205903	24/6
S21276	5.5B11/LED/940/CL/120/E12	5.5	120	B11	E12	CL	4000K	500	90	3.4	1.38	15K	045923205910	24/6
S21277	5.5B11/LED/950/CL/120/E12	5.5	120	B11	E12	CL	5000K	500	90	3.4	1.38	15K	045923205927	24/6
S21278	5.5B11/LED/927/FR/120/E12	5.5	120	B11	E12	FR	2700K	500	90	3.4	1.38	15K	045923205934	24/6
S21279	5.5B11/LED/930/FR/120/E12	5.5	120	B11	E12	FR	3000K	500	90	3.4	1.38	15K	045923205941	24/6
S21280	5.5B11/LED/940/FR/120/E12	5.5	120	B11	E12	FR	4000K	500	90	3.4	1.38	15K	045923205958	24/6
S21281	5.5B11/LED/950/FR/120/E12	5.5	120	B11	E12	FR	5000K	500	90	3.4	1.38	15K	045923205965	24/6

See www.satco.com for dimmer compatibility. ^ See warranty for details at www.satco.com. ■ T24/JA8

LED FILAMENT LAMPS DECORATIVE - MEDIUM BASE/TORPEDO



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures^
- c-UL-us listed
- CEC T20
- ENERGY STAR certified
- 3 Year warranty






B11 Clear



B11 Frost



Beam Angle: 320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
25 Watt Replacement														
S21282	3B11/LED/927/CL/120V/E26	3	120	B11	E26	CL	2700K	250	90	3.58	1.38	15K	045923205972	24/6
S21283	3B11/LED/927/FR/120V/E26	3	120	B11	E26	FR	2700K	250	90	3.58	1.38	15K	045923205989	24/6
40 Watt Replacement														
S21284	4B11/LED/927/CL/120V/E26	4	120	B11	E26	CL	2700K	350	90	3.58	1.38	15K	045923205996	24/6
S21285	4B11/LED/930/CL/120V/E26	4	120	B11	E26	CL	3000K	350	90	3.58	1.38	15K	045923206009	24/6
S21286	4B11/LED/940/CL/120V/E26	4	120	B11	E26	CL	4000K	350	90	3.58	1.38	15K	045923206016	24/6
S21287	4B11/LED/927/FR/120V/E26	4	120	B11	E26	FR	2700K	350	90	3.58	1.38	15K	045923206023	24/6
S21288	4B11/LED/930/FR/120V/E26	4	120	B11	E26	FR	3000K	350	90	3.58	1.38	15K	045923206030	24/6
S21289	4B11/LED/940/FR/120V/E26	4	120	B11	E26	FR	4000K	350	90	3.58	1.38	15K	045923206047	24/6
Multi-Pack														
S21368	4B11/LED/927/CL/120V/E26/3PK	4	120	B11	E26	CL	2700K	350	90	3.58	1.38	15K	045923206757	24/3pks
S21369	4B11/LED/930/CL/120V/E26/3PK	4	120	B11	E26	CL	3000K	350	90	3.58	1.38	15K	045923206764	24/3pks
60 Watt Replacement														
S21290	5.5B11/LED/927/CL/120V/E26	5.5	120	B11	E26	CL	2700K	500	90	3.58	1.38	15K	045923206054	24/6
S21291	5.5B11/LED/940/CL/120V/E26	5.5	120	B11	E26	CL	4000K	500	90	3.58	1.38	15K	045923206061	24/6
S21292	5.5B11/LED/927/FR/120V/E26	5.5	120	B11	E26	FR	2700K	500	90	3.58	1.38	15K	045923206078	24/6
S21293	5.5B11/LED/940/FR/120V/E26	5.5	120	B11	E26	FR	4000K	500	90	3.58	1.38	15K	045923206085	24/6

See www.satco.com for dimmer compatibility.


^ See warranty for details at www.satco.com

LED FILAMENT LAMPS DECORATIVE-FLAME TIP CANDELABRA & MEDIUM BASE



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures ^
- c-UL-us listed
- CEC T20
- ENERGY STAR certified
- 3 Year warranty



LED FILAMENT LAMPS DECORATIVE - CANDELABRA BASE FLAME TIP



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
25 Watt Replacement														
S21294	3CA10/LED/927/CL/120V/E12	3	120	CA10	E12	CL	2700K	200	90	4.72	1.38	15,000	045923206092	24/6
S21295	3CA10/LED/927/FR/120V/E12	3	120	CA10	E12	FR	2700K	200	90	4.72	1.38	15,000	045923206108	24/6
40 Watt Replacement														
S21296	4CA10/LED/927/CL/120V/E12	4	120	CA10	E12	CL	2700K	350	90	4.72	1.38	15,000	045923206115	24/6
S21297	4CA10/LED/930/CL/120V/E12	4	120	CA10	E12	CL	3000K	350	90	4.72	1.38	15,000	045923206122	24/6
S21298	4CA10/LED/940/CL/120V/E12	4	120	CA10	E12	CL	4000K	350	90	4.72	1.38	15,000	045923206139	24/6
S21299	4CA10/LED/950/CL/120V/E12	4	120	CA10	E12	CL	5000K	350	90	4.72	1.38	15,000	045923206146	24/6
S21300	4CA10/LED/927/FR/120V/E12	4	120	CA10	E12	FR	2700K	350	90	4.72	1.38	15,000	045923206153	24/6
S21301	4CA10/LED/930/FR/120V/E12	4	120	CA10	E12	FR	3000K	350	90	4.72	1.38	15,000	045923206160	24/6
S21302	4CA10/LED/940/FR/120V/E12	4	120	CA10	E12	FR	4000K	350	90	4.72	1.38	15,000	045923206177	24/6
S21303	4CA10/LED/950/FR/120V/E12	4	120	CA10	E12	FR	5000K	350	90	4.72	1.38	15,000	045923206184	24/6
60 Watt Replacement														
S21304	5.5CA10/LED/927/CL/120V/E12	5.5	120	CA10	E12	CL	2700K	500	90	4.72	1.38	15,000	045923206191	24/6
S21305	5.5CA10/LED/930/CL/120V/E12	5.5	120	CA10	E12	CL	3000K	500	90	4.72	1.38	15,000	045923206207	24/6
S21306	5.5CA10/LED/940/CL/120V/E12	5.5	120	CA10	E12	CL	4000K	500	90	4.72	1.38	15,000	045923206214	24/6
S21307	5.5CA10/LED/927/FR/120V/E12	5.5	120	CA10	E12	FR	2700K	500	90	4.72	1.38	15,000	045923206221	24/6
S21308	5.5CA10/LED/930/FR/120V/E12	5.5	120	CA10	E12	FR	3000K	500	90	4.72	1.38	15,000	045923206238	24/6
S21309	5.5CA10/LED/940/FR/120V/E12	5.5	120	CA10	E12	FR	4000K	500	90	4.72	1.38	15,000	045923206245	24/6

^ See warranty for details at www.satco.com

LED FILAMENT LAMPS DECORATIVE - MEDIUM BASE FLAME TIP



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
25 Watt Replacement														
S21310	3CA10/LED/927/CL/120V/E26	3	120	CA10	E26	CL	2700K	250	90	4.33	1.38	15,000	045923206252	24/6
S21311	3CA10/LED/927/FR/120V/E26	3	120	CA10	E26	FR	2700K	250	90	4.33	1.38	15,000	045923206269	24/6
40 Watt Replacement														
S21312	4CA10/LED/927/CL/120V/E26	4	120	CA10	E26	CL	2700K	350	90	4.33	1.38	15,000	045923206276	24/6
S21313	4CA10/LED/930/CL/120V/E26	4	120	CA10	E26	CL	3000K	350	90	4.33	1.38	15,000	045923206283	24/6
S21314	4CA10/LED/940/CL/120V/E26	4	120	CA10	E26	CL	4000K	350	90	4.33	1.38	15,000	045923206290	24/6
S21315	4CA10/LED/927/FR/120V/E26	4	120	CA10	E26	FR	2700K	350	90	4.33	1.38	15,000	045923206306	24/6
S21316	4CA10/LED/930/FR/120V/E26	4	120	CA10	E26	FR	3000K	350	90	4.33	1.38	15,000	045923206313	24/6
S21317	4CA10/LED/940/FR/120V/E26	4	120	CA10	E26	FR	4000K	350	90	4.33	1.38	15,000	045923206320	24/6
60 Watt Replacement														
S21318	5.5CA10/LED/927/CL/120V/E26	5.5	120	CA10	E26	CL	2700K	500	90	4.33	1.38	15,000	045923206337	24/6
S21319	5.5CA10/LED/940/CL/120V/E26	5.5	120	CA10	E26	CL	4000K	500	90	4.33	1.38	15,000	045923206344	24/6
S21320	5.5CA10/LED/927/FR/120V/E26	5.5	120	CA10	E26	FR	2700K	500	90	4.33	1.38	15,000	045923206351	24/6
S21321	5.5CA10/LED/940/FR/120V/E26	5.5	120	CA10	E26	FR	4000K	500	90	4.33	1.38	15,000	045923206368	24/6

^ See warranty for details at www.satco.com

LED FILAMENT SPECIALTY LAMPS



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures ^
- c-UL-us listed
- CEC T20
- ENERGY STAR certified
- 3 Year warranty



S14 E26



BT15 E26



T6 E12



T6.5 E17



ST19 E26



T10 E26



T9 E26



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
BT15														
40W														
S21330*	5BT15/CL/LED/927/120V	5	120	BT15	E26	CL	2700K	450	90	4.06	1.81	15K	045923206375	24/6
S21331*	5BT15/CL/LED/940/120V	5	120	BT15	E26	CL	4000K	450	90	4.06	1.81	15K	045923206382	24/6
S21332*	5BT15/WH/LED/927/120V	5	120	BT15	E26	WH	2700K	450	90	4.06	1.81	15K	045923206399	24/6
S21333*	5BT15/WH/LED/940/120V	5	120	BT15	E26	WH	4000K	450	90	4.06	1.81	15K	045923206405	24/6
60W														
S21334*	8BT15/CL/LED/927/120V	8	120	BT15	E26	CL	2700K	800	90	4.06	1.81	15K	045923206412	24/6
S21335*	8BT15/CL/LED/940/120V	8	120	BT15	E26	CL	4000K	800	90	4.06	1.81	15K	045923206429	24/6
S21336*	8BT15/CL/LED/950/120V	8	120	BT15	E26	CL	5000K	800	90	4.06	1.81	15K	045923206436	24/6
S21337*	8BT15/WH/LED/927/120V	8	120	BT15	E26	WH	2700K	800	90	4.06	1.81	15K	045923206443	24/6
S21338*	8BT15/WH/LED/940/120V	8	120	BT15	E26	WH	4000K	800	90	4.06	1.81	15K	045923206450	24/6
S21339*	8BT15/WH/LED/950/120V	8	120	BT15	E26	WH	5000K	800	90	4.06	1.81	15K	045923206467	24/6
Tubular														
T6 - 25W REPLACEMENT														
S21340	2.8T6/LED/CL/927/120V/E12	2.8	120	T6	E12	CL	2700K	200	90	3.2	0.98	15K	045923206474	24/6
S21341	2.8T6/LED/CL/940/120V/E12	2.8	120	T6	E12	CL	4000K	200	90	3.2	0.98	15K	045923206481	24/6
T6.5 - 25W REPLACEMENT														
S21342	3T6.5/LED/CL/927/E17	3	120	T6	E17	CL	2700K	200	90	2.17	0.87	15K	045923206498	24/6
S21343	3T6.5/LED/CL/930/E17	3	120	T6	E17	CL	3000K	200	90	2.17	0.87	15K	045923206504	24/6
T10 - 40W REPLACEMENT														
S21344	5.5T10/LED/CL/927/120V/E26	5.5	120	T10	E26	CL	2700K	450	90	5	1.25	15K	045923206511	24/6
S21345	5.5T10/LED/CL/930/120V/E26	5.5	120	T10	E26	CL	3000K	450	90	5	1.25	15K	045923206528	24/6
S21346	5.5T10/LED/CL/940/120V/E26	5.5	120	T10	E26	CL	4000K	450	90	5	1.25	15K	045923206535	24/6
S21347	5.5T10/LED/CL/950/120V/E26	5.5	120	T10	E26	CL	5000K	450	90	5	1.25	15K	045923206542	24/6
S21348	5.5T10/LED/FR/930/120V/E26	5.5	120	T10	E26	FR	3000K	450	90	5	1.25	15K	045923206559	24/6
S21349	5.5T10/LED/FR/940/120V/E26	5.5	120	T10	E26	FR	4000K	450	90	5	1.25	15K	045923206566	24/6
T10 - 60W REPLACEMENT														
S21350	8T10/LED/CL/927/120V/E26	8	120	T10	E26	CL	2700K	800	90	5	1.25	15K	045923206573	24/6
S21351	8T10/LED/CL/930/120V/E26	8	120	T10	E26	CL	3000K	800	90	5	1.25	15K	045923206580	24/6
S21352	8T10/LED/FR/927/120V/E26	8	120	T10	E26	FR	2700K	720	90	5	1.25	15K	045923206597	24/6
S21353	8T10/LED/FR/930/120V/E26	8	120	T10	E26	FR	3000K	720	90	5	1.25	15K	045923206603	24/6
T9 - 60W REPLACEMENT														
S21354	8T9/LED/CL/927/120V/E26	8	120	T9	E26	CL	2700K	800	90	7.2	1.18	15K	045923206610	24/6
S21355	8T9/LED/CL/930/120V/E26	8	120	T9	E26	CL	3000K	800	90	7.2	1.18	15K	045923206627	24/6
S21356	8T9/LED/FR/927/120V/E26	8	120	T9	E26	FR	2700K	700	90	7.2	1.18	15K	045923206634	24/6
S21357	8T9/LED/FR/930/120V/E26	8	120	T9	E26	FR	3000K	700	90	7.2	1.18	15K	045923206641	24/6
S21358	8T9/LED/CL/927/120V/E26	8	120	T9	E26	CL	2700K	800	90	12	1.18	15K	045923206658	24/6
S21359	8T9/LED/CL/930/120V/E26	8	120	T9	E26	CL	3000K	800	90	12	1.18	15K	045923206665	24/6
ST19 - 40W														
S21360*	5ST19/CL/LED/927/E26	5	120	ST19	E26	CL	2700K	425	90	5.43	2.28	15K	045923206672	24/6
S21361*	5ST19/CL/LED/930/E26	5	120	ST19	E26	CL	3000K	425	90	5.43	2.28	15K	045923206689	24/6
S21362*	5ST19/CL/LED/940/E26	5	120	ST19	E26	CL	4000K	425	90	5.43	2.28	15K	045923206696	24/6
S T19 - 60W														
S21363	8ST19/CL/LED/927/E26	8	120	ST19	E26	CL	2700K	800	90	5.43	2.28	15K	045923206702	24/6
S21364	8ST19/CL/LED/930/E26	8	120	ST19	E26	CL	3000K	800	90	5.43	2.28	15K	045923206719	24/6
S21365	8ST19/CL/LED/940/E26	8	120	ST19	E26	CL	4000K	800	90	5.43	2.28	15K	045923206726	24/6
LED String Light Replacement Lamps														
S8021†	1W S14 REPLACEMENT LAMPS/4PK	1	120	S14	E26	CL	2700K	100	80	3.43	1.18	15K	045923080210	24/4
S8022†	1W/LED/S14/RED/120V/ND/4PK	1	120	S14	E26	RED	N/A	40	N/A	3.43	1.18	15K	045923080227	24/4
S8023†	1W/LED/S14/BLUE/120V/ND/4PK	1	120	S14	E26	BLUE	N/A	15	N/A	3.43	1.18	15K	045923080234	24/4
S8024†	1W/LED/S14/GREEN/120V/ND/4PK	1	120	S14	E26	GREEN	N/A	30	N/A	3.43	1.18	15K	045923080241	24/4
S8025†	1W/LED/S14/YELLOW/120V/ND/4PK6	1	120	S14	E26	YLW	N/A	120	N/A	3.43	1.18	15K	045923080258	24/4
S8026†	1W/LED/S14/ORANGE/120V/ND/4PK	1	120	S14	E26	ORNG	N/A	90	N/A	3.43	1.18	15K	045923080265	24/4

†Non-Dimmable ^ See warranty for details at www.satco.com

LED FILAMENT LAMPS VINTAGE STYLE



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Damp location
- Approved for totally enclosed fixtures^
- c-UL-us listed
- 3 Year warranty





A19



G25



ST19



T6




S9986
C11/E12



S9987
CA11/E12



T9



Beam Angle: 320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
ST19														
S9577	2.5ST19/AMB/LED/E26/20K/120V	2.5	120	ST19	E26	TR AMB	2000K	200	80	5.43	2.28	15K	045923095771	24/6
S9578	4.5ST19/AMB/LED/E26/20K/120V	4.5	120	ST19	E26	TR AMB	2000K	350	80	5.43	2.28	15K	045923095788	24/6
S9579	7ST19/AMB/LED/E26/20K/120V	7	120	ST19	E26	TR AMB	2000K	650	80	5.43	2.28	15K	045923095795	24/6
A19														
S9583	4.5A19/AMB/LED/E26/20K/120V	4.5	120	A19	E26	TR AMB	2000K	350	80	4.13	2.38	15K	045923095832	24/6
G25														
S9584	4.5G25/AMB/LED/E26/20K/120V	4.5	120	G25	E26	TR AMB	2000K	380	80	4.45	3.25	15K	045923095849	24/6
T9														
S9588	6.5T9/AMB/LED/E26/20K/120V	6.5	120	T9	E26	TR AMB	2000K	620	80	12.00	1.13	15K	045923095887	24/6
T6														
S9873	2.5T6/LED/AMB/20K/E12/120V	2.5	120	T6	E12	TR AMB	2000K	150	80	3.34	9.8	15K	045923098734	24/6
C11														
S9986	3.5CTA/LED/AMB/20K/120V	3.5	120	C11	E12	TR AMB	2000K	300	80	3.97	1.38	15K	045923099861	24/6
CA11														
S9987	3.5CFA/LED/AMB/20K/120V	3.5	120	CA11	E12	TR AMB	2000K	300	80	4.72	1.13	15K	045923099878	24/6

^ See warranty for details at www.satco.com


DECORATIVE SPIRAL LED FILAMENT LAMPS



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Damp location
- Approved for totally enclosed fixtures^
- c-UL-us listed
- 3 Year warranty





Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
ST19														
S9967	4.5ST19/SPIRAL/LED/AMB/120V	4.5	120	ST19	E26	TR AMB	2000K	240	80	5.25	2.38	15K	045923099670	24/6
A19														
S9966	4.5A19/SPIRAL/LED/AMB/120V	4.5	120	A19	E26	TR AMB	2000K	220	80	4.00	2.38	15K	045923099663	24/6
G30														
S9968	4.5G30/SPIRAL/LED/AMB/120V	4.5	120	G30	E26	TR AMB	2000K	240	80	5.44	3.75	15K	045923099687	24/6
G40														
S9969	4.5G40/SPIRAL/LED/AMB/120V	4.5	120	G40	E26	TR AMB	2000K	240	80	6.63	4.94	15K	045923099694	12/6
T9														
S9971	4.5T9/SPIRAL/LED/AMB/120V	4.5	120	T9	E26	TR AMB	2000K	240	80	7.19	1.13	15K	045923099717	24/6
B10														
S9970	2.3ETC/SPIRAL/LED/AMB/120V	2.3	120	B10	E26	TR AMB	2000K	90	80	3.50	1.38	15K	045923099700	24/6

^ See warranty for details at www.satco.com

Product sheet SA1980

LED SPIRAL FILAMENT VINTAGE-STYLE LAMPS IN HID ENVELOPES



Features:

- Uses only 4 watts
- Impressive size & presence
- Omni-directional light source
- Perfect for pendant fixtures & hanging sockets
- Approved for totally enclosed fixtures^
- Dimmable
- Shapes: T24, BT38, BT56 & PS52
- E26 base
- 3 Year warranty





S22432
BT56




S22430
T24



S22433
PS52



S22431
BT38



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
S22430	4T24/LED/CL/E26/VINTAGE/120V	4	120	T24	E26	CL	2150K	200	90	13.00	3.00	25K	045923224300	12/1
S22431	4BT38/LED/CL/E26/VINTAGE/120V	4	120	BT38	E26	CL	2150K	200	90	16.50	4.69	25K	045923224317	12/1
S22432	4BT56/LED/CL/E26/VINTAGE/120V	4	120	BT56	E26	CL	2150K	200	90	13.81	7.13	25K	045923224324	6/1
S22433	4PS52/LED/CL/E26/VINTAGE/120V	4	120	PS52	E26	CL	2150K	200	90	11.81	6.31	25K	045923224331	6/1

^ See warranty for details at www.satco.com

Product sheet SA2298

LED FILAMENT LAMPS - CARDED



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Damp location
- Approved for totally enclosed fixtures ^
- c-UL-us listed
- ENERGY STAR certified*
- 3 Year warranty





Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
A15														
S21710	5.5A15/LED/27K/CL/E12/120V/2CD	5.5	120	A15	E12	CL	2700K	450	80	3.63	1.88	15K	045923217104	12/2 cd
S21733*	5A15/LED/WH/27K/E26/120V/2CD	5	120	A15	E26	WH	2700K	450	80	3.63	1.97	15K	045923217333	12/2 cd
S21711*	5A15/LED/27K/CL/E26/120V/2CD	5.5	120	A15	E26	CL	2700K	450	80	3.63	1.88	15K	045923217111	12/2 cd
A19														
S8616*	7A19/CL/LED/E26/27K/ES/120V	7	120	A19	E26	CL	2700K	800	80	4.13	2.38	15K	045923086168	12/1 cd
C7														
S11308	0.7W/C7/CL/LED/120V/2CD	0.7	120	C7	E12	CL	2700K	30	80	2.13	0.84	15K	045923113086	24/2 cd
Decorative - Torpedo Shape - Candelabra Base														
S21700*	2.5W CTC/LED/27K/CL/120V/2CD	2.5	120	B11	E12	CL	2700K	180	80	3.88	1.38	15K	045923217005	12/2 cd
S28613*	4W CTC/LED/27K/CL/120V	4	120	C11	E12	CL	2700K	350	80	3.88	1.38	15K	045923286131	12/1 cd
S21702*	4.5W CTC/LED/27K/CL/120V/2CD	4.5	120	B11	E12	CL	2700K	350	80	3.88	1.38	15K	045923217029	12/2 cd
S21704*	4.5W CTF/LED/27K/FR/120V/2CD	4.5	120	B11	E12	FR	2700K	330	80	3.88	1.38	15K	045923217043	12/2 cd
S21728*	4.5W CTC/LED/5K/CL/120V/2CD	4.5	120	B11	E12	CL	5000K	350	80	3.88	1.38	15K	045923217289	12/2 cd
S21706	5.5W CTC/LED/27K/CL/120V/2CD	5.5	120	B11	E12	CL	2700K	500	80	3.88	1.38	15K	045923217067	12/2 cd
Decorative - Torpedo Shape - Medium Base														
S21701*	2.5W ETC/LED/27K/CL/120V/2CD	2.5	120	B11	E26	CL	2700K	180	80	3.88	1.38	15K	045923217012	12/2 cd
S21703*	4.5W ETC/LED/27K/CL/120V/2CD	4.5	120	B11	E26	CL	2700K	350	80	3.88	1.38	15K	045923217036	12/2 cd
S8609*	4.5W ETC/LED/27K/120V	4.5	120	C11	E26	CL	2700K	450	80	3.50	1.38	15K	045923086090	12/1 cd
S21705*	4.5W ETF/LED/27K/FR/120V/2CD	4.5	120	B11	E26	FR	2700K	330	80	3.88	1.38	15K	045923217050	12/2 cd
S21730*	4.5W ETC/LED/5K/CL/120V/2CD	4.5	120	B11	E26	CL	5000K	350	80	3.88	1.38	15K	045923217302	12/2 cd
S21707*	5.5W ETC/LED/27K/CL/120V/2CD	5.5	120	B11	E26	CL	2700K	500	80	3.88	1.38	15K	045923217074	12/2 cd
Decorative - Flame Tip - Candelabra Base														
S21720*	2.5W CFC/LED/27K/CL/120V/2CD	2.5	120	CA10	E12	CL	2700K	180	80	3.88	1.38	15K	045923217203	12/2 cd
S28614*	4W CFC/LED/27K/CL/120V	4	120	CA11	E12	CL	2700K	350	80	4.69	1.38	15K	045923286148	12/1 cd
S21721*	4.5W CFC/LED/27K/CL/120V/2CD	4.5	120	CA10	E12	CL	2700K	350	80	3.88	1.38	15K	045923217210	12/2 cd
S21732*	4.5W CFF/LED/27K/FR/120V/2CD	4.5	120	CA10	E12	FR	2700K	350	80	3.88	1.38	15K	045923217326	12/2 cd
S21722*	4.5W CFC/LED/5K/CL/120V/2CD	4.5	120	CA10	E12	CL	5000K	350	80	3.88	1.38	15K	045923217227	12/2 cd
S21723*	5.5W CFC/LED/27K/CL/120V/2CD	5.5	120	CA10	E12	CL	2700K	500	80	3.88	1.38	15K	045923217234	12/2 cd
Decorative - Flame Tip - Medium Base														
S21724*	2.5W EFC/LED/27K/CL/120V/2CD	2.5	120	CA10	E26	CL	2700K	180	80	3.88	1.38	15K	045923217241	12/2 cd
S21725*	4.5W EFC/LED/27K/CL/120V/2CD	4.5	120	CA10	E26	CL	2700K	350	80	3.88	1.38	15K	045923217258	12/2 cd
S21731*	4.5W EFF/LED/27K/FR/120V/2CD	4.5	120	CA10	E26	FR	2700K	350	80	3.88	1.38	15K	045923217319	12/2 cd
S21726*	4.5W EFC/LED/5K/CL/120V/2CD	4.5	120	CA10	E26	CL	5000K	350	80	3.88	1.38	15K	045923217265	12/2 cd
S8610*	4.5W EFC/LED/27K/120V	4.5	120	CA11	E26	CL	2700K	450	80	4.31	1.38	15K	045923086106	12/1 cd
S21727*	5.5W EFC/LED/27K/CL/120V/2CD	5.5	120	CA10	E26	CL	2700K	500	80	3.88	1.38	15K	045923217272	12/2 cd
G16														
S21735*	4.5G16.5/LED/C/27K/E12/120V/2PK	4.5	120	G16 1/2	E12	CL	2700K	350	80	3.24	2.00	15K	045923217357	12/2 cd
S21736*	5.5G16.5/LED/C/27K/E12/120V/2PK	5.5	120	G16 1/2	E12	CL	2700K	500	80	3.24	2.00	15K	045923217364	12/2 cd
T7														
S12114	3.5T7/LED/CL/E17/3K/120V	3.5	120	T7	E17	CL	3000K	350	80	2.68	1.00	15K	045923211142	12/1 cd
ST19														
S8612	4.5ST19/AMB/LED/E26/20K/120V	4.5	120	ST19	E26	TR AMB	2000K	350L	80	5.50	2.38	15K	045923086120	12/1 cd
S8611	6.5ST19/CL/LED/E26/27K/120V	6.5	120	ST19	E26	CL	2700K	810	80	5.50	2.38	15K	045923086113	12/1 cd

^ See warranty for details at www.satco.com

SATCO-ESCENT LED LAMPS



Features:

- 2 Watt LED direct replacement for 25 watt incandescent lamps
- 4 Watt LED direct replacement for 40 watt incandescent lamps
- Unique satin-spun white or amber finish
- Dimmable
- Carded versions for peg board merchandising
- LED filament technology
- Approved for totally enclosed fixtures ^
- Long life—15,000 hours
- 3 Year warranty





S23403,
S22703



S11300, S11302,
S11304, S11306



S23413,
S22713

Satin Finish



S23407,
S22707




S11301, S11303,
S11305, S11307



S23412,
S22712

Amber Finish



320° Illumination



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
Boxed														
S11300	2CA11/LED/SA/E12/27K/120V	2	120	CA11	E12	SPUN STN	2700K	150	80	4.00	1.38	15K	045923113000	24/6
S11301	2CA11/LED/A/E12/21K/120V	2	120	CA11	E12	SPUN AMB	2100K	100	80	4.00	1.38	15K	045923113017	24/6
S11302	4CA11/LED/SA/E12/27K/120V	4	120	CA11	E12	SPUN STN	2700K	300	80	4.00	1.38	15K	045923113024	24/6
S11303	4CA11/LED/A/E12/21K/120V	4	120	CA11	E12	SPUN AMB	2100K	200	80	4.00	1.38	15K	045923113031	24/6
S23403	2C11/LED/SA/E26/27K/120V	2	120	C11	E26	SPUN STN	2700K	120	80	3.81	1.38	15K	045923234033	24/6
S23407	2C11/LED/A/E26/21K/120V	2	120	C11	E26	SPUN AMB	2100K	100	80	3.81	1.38	15K	045923234071	24/6
S23413	4C15/LED/SA/E26/27K/120V	4	120	C15	E26	SPUN STN	2700K	300	80	4.38	1.88	15K	045923234132	24/6
S23412	4C15/LED/A/E26/21K/120V	4	120	C15	E26	SPUN AMB	2100K	240	80	4.38	1.88	15K	045923234125	24/6
Carded														
S11304	2CA11/LED/SA/E12/27K/120V/CD	2	120	CA11	E12	SPUN STN	2700K	150	80	4.00	1.38	15K	045923113048	24/12
S11305	2CA11/LED/A/E12/21K/120V/CD	2	120	CA11	E12	SPUN AMB	2100K	100	80	4.00	1.38	15K	045923113055	24/12
S11306	4CA11/LED/SA/E12/27K/120V/CD	4	120	CA11	E12	SPUN STN	2700K	300	80	4.00	1.38	15K	045923113062	24/12
S11307	4CA11/LED/A/E12/21K/120V/CD	4	120	CA11	E12	SPUN AMB	2100K	200	80	4.00	1.38	15K	045923113079	24/12
S22703	2C11/LED/SA/E26/27K/120V/CD	2	120	C11	E26	SPUN STN	2700K	120	80	3.81	1.38	15K	045923227035	24/12
S22707	2C11/LED/A/E26/21K/120V/CD	2	120	C11	E26	SPUN AMB	2100K	100	80	3.81	1.38	15K	045923227073	24/12
S22713	4C15/LED/SA/E26/27K/120V/CD	4	120	C15	E26	SPUN STN	2700K	300	80	4.38	1.88	15K	045923227134	24/12
S22712	4C15/LED/A/E26/21K/120V/CD	4	120	C15	E26	SPUN AMB	2100K	240	80	4.38	1.88	15K	045923227127	24/12

^ See warranty for details at www.satco.com

Product sheet SA2320

SKU Replacement Cross Reference

OLD SKU	REPLACEMENT SKU	PAGE
S11363	S21205	7
S11364	S21207	7
S11365	S21227	8
S11366	S21231	8
S11369	S21269	11
S11370	S21265	11
S11371	S21273	11
S11372	S21274	11
S11373	S21278	11
S11374	S21285	13
S11375	S21287	13
S11376	S21297	15
S11377	S21301	15
S11378	S21334	17
S11379	S21337	17
S11380	S21350	17
S11381	S21345	17
S11382	S21364	17
S12100	S21210	7
S12101	S21213	7
S12102	S21220	7
S12103	S21221	7
S12104	S21222	7
S12105	S21224	7
S12106	S21229	8
S12107	S21231	8
S12108	S21238	8
S12109	S21239	8
S12110	S21235	8
S12111	S21253	9
S12112	S21255	9
S12113	S21256	9
S21708	S21366	11
S21709	S21368	13
S21729	S21367	11
S21737	S21242	8
S21738	S21244	8
S21739	S21245	8
S21740	S21247	8
S29563	S21226	8
S29866	S21268	11
S29867	S21299	15
S29871	S21204	7
S29877	S21264	11

OLD SKU	REPLACEMENT SKU	PAGE
S29878	S21226	8
S29890	S21265	11
S29891	S21297	15
S29920	S21262	11
S29921	S21294	15
S29922	S21264	11
S29923	S21296	15
S29988	S21209	7
S8551	S21284	13
S8552	S21296	15
S8553	S21204	7
S8554	S21360	17
S8555	S21340	17
S8556	S21344	17
S8559	S21330	17
S8839	S21267	11
S8840	S21298	15
S8841	S21346	17
S8849	S21228	8
S8851	S21362	17
S9564	S21234	17
S9565	S21248	9
S9566	S21252	9
S9567	S21282	13
S9569	S21284	13
S9571	S21310	15
S9575	S21330	17
S9576	S21334	17
S9580	S21344	17
S9581	S21360	17
S9582	S21358	17
S9827	S21230	8
S9868	S21269	11
S9869	S21300	15
S9870	S21200	7
S9872	S21340	17
S9893	S21227	8
S9895	S21361	17
S9960	S21273	11
S9961	S21274	11
S9962	S21304	15
S9963	S21305	15
S9964	S21290	13
S9965	S21318	15

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-5408

FLORIDA
1694 NW 215TH ST
MIAMI GARDENS, FL 33056
T. 305-624-2044
F. 305-623-0286

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA 94544
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23
JULIO N. MATOS INDUSTRIAL PARK
CAROLINA, PR 00984
T. 787-757-3510
F. 787-757-3540

Products inventoried in Canada & Mexico, contact: internationalsales@satco.com / 631-243-2022 Ext. 315